

LOUISIANA OFFICE OF PUBLIC HEALTH'S HEAVY METAL SURVEILLANCE DATA



Louisiana Department of Health & Hospitals/Office of Public Health/Section of Environmental Epidemiology & Toxicology/
Occupational Health & Injury Surveillance Program

The following tables summarize heavy metal laboratory results reported to Louisiana's Occupational Health & Injury Surveillance Program. Louisiana Law requires that healthcare providers, including clinical laboratories, report all laboratory tests for lead, mercury, cadmium, and arsenic. Test results above the action threshold are investigated to determine the source of exposure. The action threshold for each heavy metal is listed below each table. A limitation of this surveillance is that not all cases are captured, and these tables only include cases that are reported. Detailed documents describing occupational and non-occupational exposure sources, toxicity and susceptible populations, medical monitoring guidelines and result standards are available at

www.seet.dhh.louisiana.gov.

For more information about the heavy metal surveillance program or this report, contact 504.568.8159 or oph.seetweb@la.gov.

Adult Blood Lead Laboratory Surveillance (Ages 16 years and older)

Blood Tests	2007		2008		2009		2010		2011		2012		2013		2014		2015		Average Annual (2007-2015)	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Number of tests received	5572		5453		5641		5932		6496		6805		7982		8290		7831		6667	
Number of patients tested	4458		4350		5007		5298		5502		5784		6274		6814		6547		5559	
Sex																				
Male	3569	80%	3476	80%	3956	79%	4341	82%	4616	84%	4801	83%	5179	83%	5585	82%	5238	80%	4529	81%
Female	889	20%	874	20%	1051	21%	957	18%	886	16%	983	17%	1095	17%	1229	18%	1309	20%	1030	19%
Blood lead level (µg/dL)																				
0 to < 10	4060	91%	3922	90%	4625	92%	4979	94%	5193	94%	5388	93%	5894	94%	6486	95%	6239	95%	5198	94%
10 to <25	228	5%	241	6%	246	5%	271	5%	250	5%	331	6%	288	5%	244	4%	243	4%	260	5%
25 to < 45	145	3%	158	4%	123	2%	43	<1%	48	<1%	60	1%	83	1%	74	1%	56	1%	88	2%
>=45	25	<1%	29	<1%	13	<1%	5	<1%	11	<1%	5	<1%	9	<1%	10	<1%	9	<1%	13	<1%

The blood lead action thresholds are based on the goals outlined in the CDC's "Healthy People 2020" for improving health and preventing and preventing illness and injury. The CDC aims to reduce blood lead levels of all exposed workers to <10 µg/dL. The action level for women of childbearing age is 10 µg/dL.

LOUISIANA OFFICE OF PUBLIC HEALTH'S HEAVY METAL SURVEILLANCE DATA

Adult Blood Mercury Laboratory Surveillance (Ages 16 years and older)

Blood Tests	2007		2008		2009		2010		2011		2012		2013		2014		2015		Average Annual 2007 - 2015	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Number of tests received	430		664		1159		1252		1105		1321		1048		1102		1265		1038	
Number of patients tested	409		654		1100		1204		1050		1280		1029		1072		1243		1005	
Sex																				
Male	237	58%	332	51%	570	52%	731	61%	661	63%	886	69%	653	63%	637	59%	778	63%	609	61%
Female	172	42%	322	49%	530	48%	473	39%	389	37%	394	31%	376	37%	435	41%	465	37%	395	39%
Test Results: Adults (≥ 16 years)																				
BLOOD	409	100%	654	100%	1100	100%	1204	100%	1050	100%	1280	100%	1029	100%	1072	100%	1243	100%	1005	100%
>10 µg/L	19	5%	20	3%	24	2%	25	2%	9	1%	11	1%	15	1%	20	2%	22	2%	18	2%

Mercury blood action thresholds correspond to the biological exposure index (BEI) levels established by the American Conference of Industrial Hygienists for the evaluation of occupational exposures in workers.

Adult Urine Mercury Laboratory Surveillance (Ages 16 years and older)

Urine Tests	2007		2008		2009		2010		2011		2012		2013		2014		2015		Average Annual 2007 - 2015	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Number of tests received	1079		909		753		1107		569		773		605		743		715		806	
Number of patients tested	815		449		489		639		463		741		554		720		691		618	
Sex																				
Male	511	63%	289	64%	314	64%	373	58%	293	63%	565	76%	349	63%	389	54%	369	53%	384	62%
Female	304	37%	160	36%	175	36%	266	42%	170	37%	176	24%	205	37%	331	46%	322	47%	234	38%
Test Results: Adults (≥ 16 years)																				
URINE	815	100%	448	100%	489	100%	639	100%	461	100%	741	100%	554	100%	720	100%	691	100%	618	100%
≥20 µg/g creatinine-adjusted	36	4%	34	8%	0	<1%	3	<1%	5	1%	1	<1%	1	<1%	0	<1%	3	<1%	9	1%
Number of patients with both Blood and Urine tests	42	3%	21	2%	31	2%	42	2%	30	2%	396	20%	122	8%	56	3%	71	4%	90	6%

Mercury urine action thresholds correspond to the biological exposure index (BEI) levels established by the American Conference of Industrial Hygienists for the evaluation of occupational exposures in workers. The action level decreased from 35 µg/g creatinine-adjusted to 20 µg/g creatinine-adjusted based on OSHA and BEI guidelines and is reflected from 2015 forward.

LOUISIANA OFFICE OF PUBLIC HEALTH'S HEAVY METAL SURVEILLANCE DATA

Child Blood Mercury Laboratory Surveillance (Ages 15 and younger)

Blood Tests	2007		2008		2009		2010		2011		2012		2013		2014		2015		Average Annual 2007 - 2015	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Number of tests received	27		62		51		47		76		56		56		72		80		59	
Number of patients tested	24		59		49		45		74		53		55		70		75		56	
Sex																				
Male	12	50%	42	71%	30	61%	29	64%	47	64%	27	51%	35	64%	50	71%	42	56%	35	62%
Female	12	50%	17	29%	19	39%	16	36%	27	36%	26	49%	20	36%	20	29%	33	44%	21	38%
Test Results: Child (< 16 years)																				
BLOOD	24	100%	59	100%	49	100%	45	100%	74	100%	53	100%	55	100%	70	100%	75	100%	56	100%
>10 µg/L	1	4%	1	2%	0	<1%	1	2%	0	<1%	0	<1%	0	<1%	0	<1%	0	<1%	<1	<1%

The mercury blood action thresholds for children are the values recommended in CDC's Case Definitions for Chemical

Child Urine Mercury Laboratory Surveillance (Ages 15 and younger)

Urine Tests	2007		2008		2009		2010		2011		2012		2013		2014		2015		Average Annual 2007 - 2015	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Number of tests received	41		16		22		23		22		18		12		8		16		20	
Number of patients tested	32		16		20		17		22		15		12		8		16		18	
Sex																				
Male	26	81%	9	56%	16	80%	12	71%	14	64%	13	87%	3	25%	5	63%	7	44%	12	66%
Female	6	19%	7	44%	4	20%	5	29%	8	36%	2	13%	9	75%	3	38%	9	56%	6	34%
Test Results: Child (< 16 years)																				
URINE	32	100%	16	100%	20	100%	17	100%	22	100%	15	100%	12	100%	8	100%	16	100%	18	100%
>10 µg/L	2	6%	0	<1%	0	<1%	0	<1%	0	<1%	0	<1%	0	<1%	0	<1%	0	<1%	<1	<1%
Number of patients with both Blood and Urine tests	3	<1%	2	<1%	0	<1%	4	1%	4	1%	2	1%	0	<1%	0	<1%	1	<1%	2	3%

The mercury urine action thresholds for children are the values recommended in CDC's Case Definitions for Chemical Poisoning

LOUISIANA OFFICE OF PUBLIC HEALTH'S HEAVY METAL SURVEILLANCE DATA

Adult Blood Arsenic Laboratory Surveillance (Ages 16 years and older)

Blood Tests	2007		2008		2009		2010		2011		2012		2013		2014		2015		Average Annual 2007-2015	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Number of tests received	478		577		932		997		768		658		831		725		996		774	
Number of patients tested	468		571		912		956		754		642		798		707		980		754	
Sex																				
Male	280	60%	357	63%	539	59%	622	65%	478	63%	419	65%	515	65%	471	67%	609	62%	477	63%
Female	188	40%	214	37%	373	41%	334	35%	276	37%	223	35%	283	35%	236	33%	371	38%	278	37%
Test Results: Adults (≥ 16 years)																				
BLOOD	468	100%	571	100%	912	100%	956	100%	754	100%	642	100%	798	100%	707	100%	980	100%	754	100%
≥70 µg/L	0	<1%	0	<1%	0	<1%	0	<1%	0	<1%	1	<1%	0	<1%	0	<1%	0	<1%	<1	<1%

The blood action level for adults corresponds to the value cited by CDC/ATSDR for use by primary care practitioners. An arsenic blood action threshold has not been established for children.

Adult Urine Arsenic Laboratory Surveillance (Ages 16 years and older)

Urine Tests	2007		2008		2009		2010		2011		2012		2013		2014		2015		Average Annual 2007-2015	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Number of tests received	972		591		842		1014		740		954		857		1304		1100		930	
Number of patients tested	674		343		497		550		501		864		561		789		640		602	
Sex																				
Male	391	58%	196	57%	306	62%	297	54%	284	57%	606	70%	332	59%	460	58%	324	51%	355	59%
Female	283	42%	147	43%	191	38%	253	46%	217	43%	258	30%	229	41%	329	42%	316	49%	247	41%
Test Results: Adults (≥ 16 years)																				
URINE	674	100%	343	100%	497	100%	550	100%	501	100%	864	100%	561	100%	789	100%	640	100%	602	100%
≥35 µg/L (inorganic & methylated metabolites)	0	<1%	0	<1%	1	<1%	1	<1%	2	<1%	0	<1%	0	<1%	0	<1%	0	<1%	<1	<1%
≥50 µg/g creatinine-adjusted (organic)	0	<1%	0	<1%	0	<1%	0	<1%	0	<1%	0	<1%	0	<1%	0	<1%	0	<1%	<1	<1%
Number of patients with both Blood and Urine tests	38	3%	27	3%	46	3%	41	3%	46	4%	17	1%	31	2%	22	1%	64	4%	37	3%

The arsenic threshold for adults corresponds to the biological exposure index (BEI) level established by the American Conference of Industrial Hygienists for occupational exposures. The action level for creatinine-adjusted urine tests is based on exposure to organic Arsenic only. ARUP reports total As creatinine-adjusted for urine tests. There is no reference interval for this. An arsenic urine action threshold has not been established for

LOUISIANA OFFICE OF PUBLIC HEALTH'S HEAVY METAL SURVEILLANCE DATA

Adult Blood Cadmium Laboratory Surveillance (Ages 16 years and older)

Blood Tests	2007		2008		2009		2010		2011		2012		2013		2014		2015		Average Annual 2007 - 2015	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Number of tests received	165		336		576		540		519		696		729		890		820		586	
Number of patients tested	160		330		456		476		449		642		671		826		785		533	
Sex																				
Male	141	88%	270	82%	350	77%	381	80%	326	73%	431	67%	436	65%	598	72%	520	66%	384	72%
Female	19	12%	61	18%	106	23%	95	20%	123	27%	211	33%	235	35%	228	28%	265	34%	149	28%
Test Results: Adults (≥ 16 years)																				
BLOOD	160	100%	330	100%	456	100%	476	100%	449	100%	642	100%	671	100%	826	100%	785	100%	533	100%
≥5 µg/L	3	2%	1	<1%	1	<1%	0	<1%	0	<1%	0	<1%	1	<1%	0	<1%	0	<1%	<1	<1%

The cadmium blood action threshold is based on requirements established by OSHA for medical surveillance of workers with occupational cadmium exposure. A cadmium blood action threshold has not been established for children.

Adult Urine Cadmium Laboratory Surveillance (Ages 16 years and older)

Urine Tests	2007		2008		2009		2010		2011		2012		2013		2014		2015		Average Annual 2007 - 2015	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Number of tests received	264		285		387		308		283		752		448		484		374		398	
Number of patients tested	240		282		304		269		257		705		392		430		342		358	
Sex																				
Male	208	87%	240	85%	274	90%	237	88%	232	90%	619	88%	312	80%	336	78%	249	73%	301	84%
Female	32	13%	42	15%	30	10%	32	12%	25	10%	86	12%	80	20%	94	22%	93	27%	57	16%
Test Results: Adults (≥ 16 years)																				
URINE	240	100%	282	100%	304	100%	269	100%	257	100%	705	100%	392	100%	430	100%	342	100%	358	100%
≥3 µg/g creatinine-adjusted	2	<1%	0	<1%	0	<1%	1	<1%	0	<1%	3	<1%	3	<1%	0	<1%	3	<1%	1	<1%
Number of patients with both Blood and Urine tests	123	42%	184	43%	197	35%	136	22%	92	15%	142	12%	93	10%	261	21%	208	17%	160	21%

The cadmium urine action threshold is based on requirements established by OSHA for medical surveillance of workers with occupational cadmium exposure. A cadmium urine action threshold has not been established for children.