


First Quarter 2009

Vol. 7, No. 1



HIV/AIDS Surveillance Program

M. Beth Scalco, LCSW MPA*HIV/AIDS Program Administrative Director***Amy Zapata, MPH***HIV/AIDS Surveillance Program Manager*Editor/Production:**Jessica Fridge****Samuel Ramirez****William T. Robinson**Data Management and Analysis:**Debbie Wendell, Ph.D.**, *Coordinator***Jessica Fridge, MSPH**, *Surveillance Data Supervisor***Tania Bechtel**, *Data Manager***Joseph Foxhood**, *Information Systems Developer***George Stephens**, *Computer Technician***Josette Russell**, *Data Manager*Special Projects:**William T. Robinson, Ph.D.**, *Biostatistician***C. Greg Gaines, Ph.D.**, *Laboratory Surveillance Coordinator***Luke Cvitanovic, MS**, *Incidence & Resistance Supervisor***Sam Ramirez, MPH**, *Epidemiologist/Incidence & Resistance
Coordinator*Field Epidemiologists:**Betsy Shepard, PAC, MPH**, *Epidemiologist Supervisor*

James Hubbard	Region 1	Cheryl Edney, BS MT(ASCP)	Regions 4, 5, 6
Connie Gordon	Regions 1, 3	Gayle Norris, MA	Regions 7, 8
Tanya Brown, RHIA	Region 2	Gale Terry, LPN	Regions 2, 9

 TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Region 1: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 2: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 3: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 4: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 5: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 6: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 7: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 8: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 9: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of March 31, 2009¹.

- As of March 31, 2009, a cumulative total of **28,843** HIV/AIDS cases have been reported in Louisiana, including **308** pediatric cases.
- The cumulative number of deaths, among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through March 31, 2009 is **12,195** including **100** deaths among pediatric cases.
- A total of **16,418** persons are living with HIV/AIDS in Louisiana; of these individuals, **8,756** persons (53%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by injection drug use.
- Nationally, Louisiana ranked **5th** highest in AIDS case rates and **11th** in the number of AIDS cases diagnosed in 2007, according to the CDC 2007 HIV/AIDS Surveillance Report (Vol. 19).
- New Orleans ranked **2nd** for AIDS case rates among the largest metropolitan areas in the U.S. in 2007; Baton Rouge ranked **3rd**.
- In 2008, **1,154** new HIV cases were diagnosed in Louisiana. Of these cases, **34%** (n=392) occurred in Region 1 (New Orleans) and **25%** (n=290) occurred in Region 2 (Baton Rouge).
- In 2008, **856** new AIDS cases were diagnosed in Louisiana. Of these cases, **32%** (n=275) occurred in Region 1 (New Orleans) and **28%** (n=242) occurred in Region 2 (Baton Rouge).
- In Louisiana, **33%** of new HIV cases and **34%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2008, **72%** of newly diagnosed HIV cases and **70%** of newly diagnosed AIDS cases were among African Americans.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Updated estimates were provided in the 2006 Third Quarter Report at: <http://www.dhh.louisiana.gov/offices/publications/pubs-264/Third%20Quarter%202006.pdf>. Additional updated population estimates were presented at the February 2007 Statewide HIV/AIDS Meeting. This presentation can be found at: <http://www.dhh.louisiana.gov/offices/page.asp?ID=264&Detail=7584>. Updated estimates were also presented in the 2005-2006 Annual Report located at <http://www.dhh.louisiana.gov/offices/reports.asp?ID=264&Detail=261>. More recent estimates indicate that as much as 84% of the pre-Katrina PLWH/A may now be living within the metropolitan area.

Persons Living with HIV/AIDS

Louisiana

- 28843 cumulative cases have been detected in Louisiana, including 308 pediatric cases.
- 12195 cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including 100 pediatric deaths.
- 16418 persons are currently living with HIV/AIDS in Louisiana.
 Persons living with HIV: 7662
 Persons living with AIDS: 8756

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	72	<1 %	Black, Non-Hispanic	6866	3997	10863	66 %
13 - 19	140	1 %	White, Non-Hispanic	4094	726	4820	29 %
20 - 24	599	4 %	Hispanic	466	104	570	3 %
25 - 29	1271	8 %	Asian/Pacific Islander	38	11	49	<1 %
30 - 34	1768	11 %	American Indian	18	6	24	<1 %
35 - 39	2095	13 %	Unknown	31	5	36	<1 %
40 - 44	2652	16 %	Multi-race	40	16	56	<1 %
45 - 49	3084	19 %	Total	11553	4865	16418	100 %
50 - 54	2262	14 %					
55 - 59	1319	8 %					
60+	1156	7 %					
Total	16418	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	5000	0	5000	48 %
Injection drug use	1140	656	1796	17 %
Men who have sex with men and inject drugs	839	0	839	8 %
Heterosexual contact	832	1752	2584	25 %
Transfusion/Hemophilia	68	41	109	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	93	85	178	2 %
Total	7972	2535	10507	100 %
<i>No Identified Risk</i>	3581	2330	5911	

**Persons Living with AIDS
Louisiana**

- 19471 cumulative AIDS cases have been diagnosed in Louisiana, including 143 pediatric cases.
- 8756 persons are currently living with AIDS in Louisiana.

Age Category

Current Age	Cases	Percent
0 - 12	9	<1 %
13 - 19	40	<1 %
20 - 24	143	2 %
25 - 29	409	5 %
30 - 34	741	8 %
35 - 39	1053	12 %
40 - 44	1561	18 %
45 - 49	1854	21 %
50 - 54	1383	16 %
55 - 59	834	10 %
60+	729	8 %
Total	8756	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	3750	1901	5651	65 %
White, Non-Hispanic	2382	331	2713	31 %
Hispanic	254	59	313	4 %
Asian/Pacific	18	6	24	<1 %
American Indian	7	3	10	<1 %
Unknown	7	1	8	<1 %
Multi-race	28	9	37	<1 %
Total	6446	2310	8756	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2880	0	2880	47 %
Injection drug use	736	378	1114	18 %
Men who have sex with men and inject drugs	554	0	554	9 %
Heterosexual contact	478	925	1403	23 %
Transfusion/Hemophilia	46	26	72	1 %
Perinatal	25	28	53	1 %
Total	4719	1357	6076	100 %
<i>No Identified Risk</i>	<i>1727</i>	<i>953</i>	<i>2680</i>	

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2008

• 1154 persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	770	67 %	Black, Non-Hispanic	833	72 %
Women	384	33 %	White, Non-Hispanic	230	20 %
Total	1154	100 %	Hispanic	68	6 %
			Asian/Pacific Islander	6	1 %
			American Indian	1	<1 %
			Unknown	9	1 %
			Multi-race	7	1 %
			Total	1154	100 %

Age at Detection	Cases	Percent
0 - 12	5	<1 %
13 - 24	244	21 %
25 - 34	342	30 %
35 - 44	258	22 %
45+	305	26 %
Total	1154	100 %

Cases with a reported risk:	Cases	Percent
Men who have sex with men	306	62 %
Injection drug use	38	8 %
Men who have sex with men and inject drugs	9	2 %
Heterosexual contact	137	28 %
Perinatal	5	1 %
Total	495	100 %
<i>No Identified Risk</i>	<i>659</i>	

AIDS CASES DIAGNOSED January - December 2008

• 856 persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	563	66 %	Black, Non-Hispanic	601	70 %
Women	293	34 %	White, Non-Hispanic	204	24 %
Total	856	100 %	Hispanic	41	5 %
			Asian/Pacific Islander	4	<1 %
			Unknown	2	<1 %
			Multi-race	4	<1 %
			Total	856	100 %

Age at Diagnosis	Cases	Percent
0 - 12	1	<1 %
13 - 24	63	7 %
25 - 34	232	27 %
35 - 44	256	30 %
45+	304	36 %
Total	856	100 %

Cases with a reported risk:	Cases	Percent
Men who have sex with men	202	47 %
Injection drug use	77	18 %
Men who have sex with men and inject drugs	20	5 %
Heterosexual contact	125	29 %
Transfusion/Hemophilia	3	1 %
Perinatal	3	1 %
Total	430	100 %
<i>No Identified Risk</i>	<i>426</i>	

Persons Living with HIV/AIDS

First Quarter 2009

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	95	Sabine	22
Allen	233	St. Bernard	100
Ascension	156	St. Charles	81
Assumption	35	St. Helena	18
Avoyelles	194	St. James	54
Beauregard	34	St. John the Baptist	104
Bienville	29	St. Landry	223
Bossier	175	St. Martin	92
Caddo	856	St. Mary	68
Calcasieu	553	St. Tammany	329
Caldwell	65	Tangipahoa	235
Cameron	5	Tensas	35
Catahoula	25	Terrebonne	171
Claiborne	78	Union	40
Concordia	36	Vermilion	78
De Soto	58	Vernon	40
East Baton Rouge	3101	Washington	145
East Carroll	42	Webster	43
East Feliciana	105	West Baton Rouge	105
Evangeline	58	West Carroll	8
Franklin	21	West Feliciana	146
Grant	28	Winn	87
Iberia	102		
Iberville	272		
Jackson	35		
Jefferson	1503		
Jefferson Davis	45		
La Salle	14		
Lafayette	561		
Lafourche	94		
Lincoln	50		
Livingston	146		
Madison	52		
Morehouse	60		
Natchitoches	85		
Orleans	4257		
Ouachita	449		
Plaquemines	32		
Pointe Coupee	44		
Rapides	367		
Red River	10		
Richland	34		
		Total	16418

Persons Living with AIDS

First Quarter 2009

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	59	Sabine	17
Allen	113	St. Bernard	56
Ascension	81	St. Charles	44
Assumption	25	St. Helena	8
Avoyelles	101	St. James	28
Beauregard	20	St. John the Baptist	63
Bienville	14	St. Landry	131
Bossier	98	St. Martin	51
Caddo	477	St. Mary	43
Calcasieu	320	St. Tammany	189
Caldwell	32	Tangipahoa	131
Cameron	3	Tensas	18
Catahoula	15	Terrebonne	94
Claiborne	45	Union	27
Concordia	23	Vermilion	49
De Soto	35	Vernon	22
East Baton Rouge	1564	Washington	84
East Carroll	26	Webster	21
East Feliciana	58	West Baton Rouge	63
Evangeline	34	West Carroll	5
Franklin	9	West Feliciana	91
Grant	17	Winn	44
Iberia	56		
Iberville	147		
Jackson	18		
Jefferson	824		
Jefferson Davis	22		
La Salle	9		
Lafayette	283		
Lafourche	56		
Lincoln	25		
Livingston	80		
Madison	23		
Morehouse	25		
Natchitoches	45		
Orleans	2210		
Ouachita	231		
Plaquemines	22		
Pointe Coupee	29		
Rapides	176		
Red River	7		
Richland	20		
		Total	8756

**Persons Living with HIV/AIDS
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

- 13923 cumulative cases have been detected in the New Orleans MSA, including 148 pediatric cases.
- 5939 cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including 50 pediatric deaths
- 6460 persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: 3024
Persons living with AIDS: 3436

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	24	<1 %	Black, Non-Hispanic	2383	1358	3741	58 %
13 - 19	44	1 %	White, Non-Hispanic	2084	240	2324	36 %
20 - 24	201	3 %	Hispanic	242	74	316	5 %
25 - 29	403	6 %	Asian/Pacific Islander	25	7	32	<1 %
30 - 34	625	10 %	American Indian	5	1	6	<1 %
35 - 39	794	12 %	Unknown	19	3	22	<1 %
40 - 44	1028	16 %	Multi-race	14	5	19	<1 %
45 - 49	1269	20 %	Total	4772	1688	6460	100 %
50 - 54	937	15 %					
55 - 59	587	9 %					
60+	548	8 %					
Total	6460	100 %					

<u>Exposure Category</u>				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2362	0	2362	57 %
Injection drug use	341	222	563	14 %
Men who have sex with men and inject drugs	318	0	318	8 %
Heterosexual contact	237	575	812	20 %
Transfusion/Hemophilia	30	19	49	1 %
Perinatal	28	32	60	1 %
Total	3316	848	4164	100 %
<i>No Identified Risk</i>	1456	840	2296	

Persons Living with AIDS**Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

- 9547 cumulative AIDS cases have been diagnosed in the New Orleans MSA, including 71 pediatric cases.
- 3436 persons are currently living with AIDS in the New Orleans MSA.

Age Category

Current Age	Cases	Percent
0 - 12	4	<1 %
13 - 19	14	<1 %
20 - 24	44	1 %
25 - 29	130	4 %
30 - 34	244	7 %
35 - 39	382	11 %
40 - 44	579	17 %
45 - 49	770	22 %
50 - 54	571	17 %
55 - 59	357	10 %
60+	341	10 %
Total	3436	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1260	660	1920	56 %
White, Non-Hispanic	1182	102	1284	37 %
Hispanic	147	47	194	6 %
Asian/Pacific Islander	11	4	15	<1 %
American Indian	1	1	2	<1 %
Unknown	7	1	8	<1 %
Multi-race	10	3	13	<1 %
Total	2618	818	3436	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1353	0	1353	56 %
Injection drug use	206	127	333	14 %
Men who have sex with men and inject drugs	205	0	205	9 %
Heterosexual contact	147	317	464	19 %
Transfusion/Hemophilia	20	10	30	1 %
Perinatal	9	12	21	1 %
Total	1940	466	2406	100 %
<i>No Identified Risk</i>	<i>678</i>	<i>352</i>	<i>1030</i>	

Persons Newly Diagnosed with HIV/AIDS**Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

HIV CASES DIAGNOSED January - December 2008

- 429 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	301	70 %	Black, Non-Hispanic	277	65 %
Women	128	30 %	White, Non-Hispanic	100	23 %
Total	429	100 %	Hispanic	40	9 %
			Asian/Pacific Islander	4	1 %
			Unknown	4	1 %
			Multi-race	4	1 %
			Total	429	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	3	1 %	Men who have sex with men	134	67 %
13 - 24	89	21 %	Injection drug use	17	9 %
25 - 34	134	31 %	Men who have sex with men and inject drugs	4	2 %
35 - 44	97	23 %	Heterosexual contact	41	21 %
45+	106	25 %	Perinatal	3	2 %
Total	429	100 %	Total	199	100 %

No Identified Risk

230

AIDS CASES DIAGNOSED January - December 2008

- 296 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	204	69 %	Black, Non-Hispanic	186	63 %
Women	92	31 %	White, Non-Hispanic	79	27 %
Total	296	100 %	Hispanic	28	9 %
			Asian/Pacific Islander	1	<1 %
			Unknown	2	1 %
			Total	296	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	77	51 %
13 - 24	18	6 %	Injection drug use	21	14 %
25 - 34	82	28 %	Men who have sex with men and inject drugs	7	5 %
35 - 44	87	29 %	Heterosexual contact	45	30 %
45+	108	36 %	Transfusion/Hemophilia	1	1 %
Total	296	100 %	Perinatal	1	1 %
			Total	152	100 %

No Identified Risk

144

**Persons Living with HIV/AIDS
Region 1: New Orleans Region**

- 13130 cumulative cases have been detected in Region 1, including 132 pediatric cases.
- 5591 cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including 46 pediatric deaths.
- 5892 persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: 2780
Persons living with AIDS: 3112

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	17	<1 %	Black, Non-Hispanic	2227	1248	3475	59 %
13 - 19	39	1 %	White, Non-Hispanic	1856	188	2044	35 %
20 - 24	182	3 %	Hispanic	228	71	299	5 %
25 - 29	362	6 %	Asian/Pacific Islander	24	7	31	1 %
30 - 34	575	10 %	American Indian	5	1	6	<1 %
35 - 39	708	12 %	Unknown	18	3	21	<1 %
40 - 44	936	16 %	Multi-race	11	5	16	<1 %
45 - 49	1154	20 %	Total	4369	1523	5892	100 %
50 - 54	865	15 %					
55 - 59	550	9 %					
60+	504	9 %					
Total	5892	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2159	0	2159	57 %
Injection drug use	311	204	515	14 %
Men who have sex with men and inject drugs	301	0	301	8 %
Heterosexual contact	208	515	723	19 %
Transfusion/Hemophilia	26	18	44	1 %
Perinatal	21	24	45	1 %
Total	3026	761	3787	100 %
<i>No Identified Risk</i>	1343	762	2105	

**Persons Living with AIDS
Region 1: New Orleans Region**

- 8972 cumulative AIDS cases have been diagnosed in Region 1, including 63 pediatric cases.
- 3112 persons are currently living with AIDS in Region 1.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1158	606	1764	57 %
13 - 19	10	<1 %	White, Non-Hispanic	1049	78	1127	36 %
20 - 24	41	1 %	Hispanic	139	46	185	6 %
25 - 29	117	4 %	Asian/Pacific Islander	11	4	15	<1 %
30 - 34	220	7 %	American Indian	1	1	2	<1 %
35 - 39	335	11 %	Unknown	7	1	8	<1 %
40 - 44	520	17 %	Multi-race	8	3	11	<1 %
45 - 54	699	22 %	Total	2373	739	3112	100 %
50 - 54	525	17 %					
55 - 59	331	11 %					
60+	310	10 %					
Total	3112	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1238	0	1238	57 %
Injection drug use	186	116	302	14 %
Men who have sex with men and inject drugs	191	0	191	9 %
Heterosexual contact	126	284	410	19 %
Transfusion/Hemophilia	17	9	26	1 %
Perinatal	6	9	15	1 %
Total	1764	418	2182	100 %
<i>No Identified Risk</i>	609	321	930	

Persons Newly Diagnosed with HIV/AIDS

Region 1: New Orleans Region

HIV CASES DIAGNOSED January - December 2008

- 392 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	279	71 %	Black, Non-Hispanic	256	65 %
Women	113	29 %	White, Non-Hispanic	87	22 %
Total	392	100 %	Hispanic	38	10 %
			Asian/Pacific Islander	4	1 %
			Unknown	3	1 %
			Multi-race	4	1 %
			Total	392	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	2	1 %	Men who have sex with men	124	67 %
13 - 24	83	21 %	Injection drug use	14	8 %
25 - 34	120	31 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	86	22 %	Heterosexual contact	41	22 %
45+	101	26 %	Perinatal	2	1 %
Total	392	100 %	Total	184	100 %
			<i>No Identified Risk</i>	<i>208</i>	

AIDS CASES DIAGNOSED January - December 2008

- 275 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	189	69 %	Black, Non-Hispanic	172	63 %
Women	86	31 %	White, Non-Hispanic	73	27 %
Total	275	100 %	Hispanic	27	10 %
			Asian/Pacific Islander	1	<1 %
			Unknown	2	1 %
			Total	275	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	73	51 %
13 - 24	17	6 %	Injection drug use	19	13 %
25 - 34	74	27 %	Men who have sex with men and inject drugs	6	4 %
35 - 44	80	29 %	Heterosexual contact	44	31 %
45+	103	37 %	Transfusion/Hemophilia	1	1 %
Total	275	100 %	Perinatal	1	1 %
			Total	144	100 %
			<i>No Identified Risk</i>	<i>131</i>	

**Persons Living with HIV/AIDS
Region 2: Baton Rouge Region**

- 6223 cumulative cases have been detected in Region 2, including 64 pediatric cases.
- 2623 cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including 15 pediatric deaths.
- 3929 persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: 1896
Persons living with AIDS: 2033

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	24	1 %	Black, Non-Hispanic	1891	1370	3261	83 %
13 - 19	42	1 %	White, Non-Hispanic	497	108	605	15 %
20 - 24	173	4 %	Hispanic	31	11	42	1 %
25 - 29	362	9 %	Asian/Pacific Islander	3	1	4	<1 %
30 - 34	481	12 %	American Indian	2	0	2	<1 %
35 - 39	521	13 %	Unknown	6	1	7	<1 %
40 - 44	581	15 %	Multi-race	6	2	8	<1 %
45 - 49	691	18 %	Total	2436	1493	3929	100 %
50 - 54	502	13 %					
55 - 59	300	8 %					
60+	252	6 %					
Total	3929	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	767	0	767	33 %
Injection drug use	371	216	587	26 %
Men who have sex with men and inject drugs	162	0	162	7 %
Heterosexual contact	220	493	713	31 %
Transfusion/Hemophilia	8	11	19	1 %
Perinatal	28	21	49	2 %
Total	1556	741	2297	100 %
<i>No Identified Risk</i>	880	752	1632	

**Persons Living with AIDS
Region 2: Baton Rouge Region**

- 4136 cumulative AIDS cases have been diagnosed in Region 2, including 22 pediatric cases.
- 2033 persons are currently living with AIDS in Region 2.

Age Category

Current Age	Cases	Percent
13 - 19	13	1 %
20 - 24	46	2 %
25 - 29	117	6 %
30 - 34	197	10 %
35 - 39	263	13 %
40 - 44	340	17 %
45 - 49	407	20 %
50 - 54	301	15 %
55 - 59	188	9 %
60+	161	8 %
Total	2033	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1029	649	1678	83 %
White, Non-Hispanic	277	44	321	16 %
Hispanic	17	6	23	1 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	2	0	2	<1 %
Multi-race	6	1	7	<1 %
Total	1333	700	2033	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	418	0	418	32 %
Injection drug use	257	122	379	29 %
Men who have sex with men and inject drugs	111	0	111	8 %
Heterosexual contact	117	262	379	29 %
Transfusion/Hemophilia	4	8	12	1 %
Perinatal	6	4	10	1 %
Total	913	396	1309	100 %
<i>No Identified Risk</i>	<i>420</i>	<i>304</i>	<i>724</i>	

**Persons Newly Diagnosed with HIV/AIDS
Region 2: Baton Rouge Region**

HIV CASES DIAGNOSED January - December 2008

- 290 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	166	57 %	Black, Non-Hispanic	257	89 %
Women	124	43 %	White, Non-Hispanic	26	9 %
Total	290	100 %	Hispanic	4	1 %
			Unknown	2	1 %
			Multi-race	1	<1 %
			Total	290	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	2	1 %	Men who have sex with men	59	52 %
13 - 24	70	24 %	Injection drug use	10	9 %
25 - 34	88	30 %	Men who have sex with men and inject drugs	1	1 %
35 - 44	60	21 %	Heterosexual contact	41	36 %
45+	70	24 %	Perinatal	2	2 %
Total	290	100 %	Total	113	100 %
			<i>No Identified Risk</i>	<i>177</i>	

AIDS CASES DIAGNOSED January - December 2008

- 242 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	137	57 %	Black, Non-Hispanic	206	85 %
Women	105	43 %	White, Non-Hispanic	32	13 %
Total	242	100 %	Hispanic	3	1 %
			Multi-race	1	<1 %
			Total	242	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	29	12 %	Men who have sex with men	36	32 %
25 - 34	58	24 %	Injection drug use	29	26 %
35 - 44	67	28 %	Men who have sex with men and inject drugs	6	5 %
45+	88	36 %	Heterosexual contact	42	37 %
Total	242	100 %	Total	113	100 %
			<i>No Identified Risk</i>	<i>129</i>	

Persons Living with HIV/AIDS

Region 3: Houma Region

- 908 cumulative cases have been detected in Region 3, including 17 pediatric cases.
- 432 cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including 7 pediatric deaths.
- 607 persons are currently living with HIV/AIDS in Region 3.
 Persons living with HIV: 254
 Persons living with AIDS: 353

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	5	1 %	Black, Non-Hispanic	202	138	340	56 %
13 - 19	5	1 %	White, Non-Hispanic	198	41	239	39 %
20 - 24	25	4 %	Hispanic	13	5	18	3 %
25 - 29	61	10 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	62	10 %	American Indian	1	2	3	<1 %
35 - 39	77	13 %	Unknown	2	0	2	<1 %
40 - 44	101	17 %	Multi-race	2	1	3	<1 %
45 - 49	113	19 %	Total	419	188	607	100 %
50 - 54	73	12 %					
55 - 59	44	7 %					
60+	41	7 %					
Total	607	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	208	0	208	51 %
Injection drug use	40	22	62	15 %
Men who have sex with men and inject drugs	14	0	14	3 %
Heterosexual contact	34	77	111	27 %
Transfusion/Hemophilia	1	1	2	<1 %
Perinatal	6	7	13	3 %
Total	303	107	410	100 %
<i>No Identified Risk</i>	116	81	197	

Persons Living with AIDS

Region 3: Houma Region

- 671 cumulative AIDS cases have been diagnosed in Region 3, including 9 pediatric cases.
- 353 persons are currently living with AIDS in Region 3.

Age Category

Current Age	Cases	Percent
13 - 19	3	1 %
20 - 24	6	2 %
25 - 29	22	6 %
30 - 34	29	8 %
35 - 39	39	11 %
40 - 44	67	19 %
45 - 49	71	20 %
50 - 54	54	15 %
55 - 59	33	9 %
60+	29	8 %
Total	353	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	130	74	204	58 %
White, Non-Hispanic	110	21	131	37 %
Hispanic	9	2	11	3 %
Asian/Pacific Islander	0	1	1	<1 %
American Indian	1	2	3	1 %
Multi-race	2	1	3	1 %
Total	252	101	353	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	129	0	129	53 %
Injection drug use	24	15	39	16 %
Men who have sex with men and inject drugs	8	0	8	3 %
Heterosexual contact	23	40	63	26 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	2	3	5	2 %
Total	186	59	245	100 %
<i>No Identified Risk</i>	<i>66</i>	<i>42</i>	<i>108</i>	

**Persons Newly Diagnosed with HIV/AIDS
Region 3: Houma Region**

HIV CASES DIAGNOSED January - December 2008

- 47 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	29	62 %	Black, Non-Hispanic	28	60 %
Women	18	38 %	White, Non-Hispanic	13	28 %
Total	47	100 %	Hispanic	3	6 %
			Asian/Pacific Islander	1	2 %
			Unknown	2	4 %
			Total	47	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	10	21 %	Men who have sex with men	8	62 %
25 - 34	16	34 %	Injection drug use	2	15 %
35 - 44	13	28 %	Heterosexual contact	3	23 %
45+	8	17 %	Total	13	100 %
Total	47	100 %	<i>No Identified Risk</i>	<i>34</i>	

AIDS CASES DIAGNOSED January - December 2008

- 33 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	23	70 %	Black, Non-Hispanic	18	55 %
Women	10	30 %	White, Non-Hispanic	12	36 %
Total	33	100 %	Hispanic	1	3 %
			Asian/Pacific Islander	1	3 %
			Multi-race	1	3 %
			Total	33	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	5	15 %	Men who have sex with men	8	53 %
25 - 34	6	18 %	Injection drug use	5	33 %
35 - 44	11	33 %	Heterosexual contact	2	13 %
45+	11	33 %	Total	15	100 %
Total	33	100 %	<i>No Identified Risk</i>	<i>18</i>	

Persons Living with HIV/AIDS

Region 4: Lafayette Region

- 1782 cumulative cases have been detected in Region 4, including 16 pediatric cases.
- 806 cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including 9 pediatric deaths.
- 1209 persons are currently living with HIV/AIDS in Region 4.
 Persons living with HIV: 546
 Persons living with AIDS: 663

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	470	218	688	57 %
13 - 19	7	1 %	White, Non-Hispanic	382	80	462	38 %
20 - 24	31	3 %	Hispanic	42	2	44	4 %
25 - 29	94	8 %	Asian/Pacific Islander	0	2	2	<1 %
30 - 34	105	9 %	American Indian	1	1	2	<1 %
35 - 39	133	11 %	Unknown	2	0	2	<1 %
40 - 44	228	19 %	Multi-race	6	3	9	1 %
45 - 49	265	22 %	Total	903	306	1209	100 %
50 - 54	172	14 %					
55 - 59	100	8 %					
60+	71	6 %					
Total	1209	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	368	0	368	51 %
Injection drug use	75	32	107	15 %
Men who have sex with men and inject drugs	44	0	44	6 %
Heterosexual contact	55	127	182	25 %
Transfusion/Hemophilia	6	1	7	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	2 %
Total	554	167	721	100 %
<i>No Identified Risk</i>	349	139	488	

**Persons Living with AIDS
Region 4: Lafayette Region**

- 1195 cumulative AIDS cases have been diagnosed in Region 4, including 9 pediatric cases.
- 663 persons are currently living with AIDS in Region 4.

Age Category

Current Age	Cases	Percent
0 - 12	1	<1 %
13 - 19	1	<1 %
20 - 24	5	1 %
25 - 29	33	5 %
30 - 34	57	9 %
35 - 39	68	10 %
40 - 44	133	20 %
45 - 49	155	23 %
50 - 54	105	16 %
55 - 59	63	10 %
60+	42	6 %
Total	663	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	257	112	369	56 %
White, Non-Hispanic	236	33	269	41 %
Hispanic	18	0	18	3 %
Asian/Pacific Islander	0	1	1	<1 %
Multi-race	4	2	6	1 %
Total	515	148	663	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	232	0	232	53 %
Injection drug use	53	16	69	16 %
Men who have sex with men and inject drugs	31	0	31	7 %
Heterosexual contact	31	66	97	22 %
Transfusion/Hemophilia	4	1	5	1 %
Perinatal	0	3	3	1 %
Total	351	86	437	100 %
<i>No Identified Risk</i>	<i>164</i>	<i>62</i>	<i>226</i>	

Persons Newly Diagnosed with HIV/AIDS

Region 4: Lafayette Region

HIV CASES DIAGNOSED January - December 2008

• 76 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	54	71 %	Black, Non-Hispanic	51	67 %
Women	22	29 %	White, Non-Hispanic	20	26 %
Total	76	100 %	Hispanic	4	5 %
			Multi-race	1	1 %
			Total	76	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	13	17 %	Men who have sex with men	10	43 %
25 - 34	13	17 %	Injection drug use	4	17 %
35 - 44	17	22 %	Heterosexual contact	9	39 %
45+	33	43 %	Total	23	100 %
Total	76	100 %	<i>No Identified Risk</i>	53	

AIDS CASES DIAGNOSED January - December 2008

• 65 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	46	71 %	Black, Non-Hispanic	41	63 %
Women	19	29 %	White, Non-Hispanic	22	34 %
Total	65	100 %	Hispanic	1	2 %
			Asian/Pacific Islander	1	2 %
			Total	65	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	3	5 %	Men who have sex with men	15	62 %
25 - 34	20	31 %	Injection drug use	3	12 %
35 - 44	21	32 %	Men who have sex with men and inject drugs	1	4 %
45+	21	32 %	Heterosexual contact	5	21 %
Total	65	100 %	Total	24	100 %
			<i>No Identified Risk</i>	41	

**Persons Living with HIV/AIDS
Region 5: Lake Charles Region**

- 1143 cumulative cases have been detected in Region 5, including 9 pediatric cases.
- 431 cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including 1 pediatric death.
- 870 persons are currently living with HIV/AIDS in Region 5.
Persons living with HIV: 392
Persons living with AIDS: 478

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	378	128	506	58 %
13 - 19	13	1 %	White, Non-Hispanic	215	57	272	31 %
20 - 24	34	4 %	Hispanic	79	2	81	9 %
25 - 29	56	6 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	89	10 %	American Indian	2	1	3	<1 %
35 - 39	112	13 %	Multi-race	3	1	4	<1 %
40 - 44	166	19 %	Total	681	189	870	100 %
45 - 49	176	20 %					
50 - 54	120	14 %					
55 - 59	50	6 %					
60+	51	6 %					
Total	870	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	253	0	253	42 %
Injection drug use	93	28	121	20 %
Men who have sex with men and inject drugs	72	0	72	12 %
Heterosexual contact	72	76	148	24 %
Transfusion/Hemophilia	4	1	5	1 %
Perinatal	4	5	9	1 %
Total	498	110	608	100 %
<i>No Identified Risk</i>	183	79	262	

**Persons Living with AIDS
Region 5: Lake Charles Region**

- 786 cumulative AIDS cases have been diagnosed in Region 5, including 5 pediatric cases.
- 478 persons are currently living with AIDS in Region 5.

Age Category

Current Age	Cases	Percent
0 - 12	1	<1 %
13 - 19	5	1 %
20 - 24	10	2 %
25 - 29	21	4 %
30 - 34	36	8 %
35 - 39	59	12 %
40 - 44	110	23 %
45 - 49	107	22 %
50 - 54	63	13 %
55 - 59	34	7 %
60+	32	7 %
Total	478	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	212	58	270	56 %
White, Non-Hispanic	138	32	170	36 %
Hispanic	35	0	35	7 %
Asian/Pacific Islander	2	0	2	<1 %
Multi-race	1	0	1	<1 %
Total	388	90	478	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	164	0	164	45 %
Injection drug use	58	20	78	21 %
Men who have sex with men and inject drugs	46	0	46	12 %
Heterosexual contact	33	39	72	20 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	2	2	4	1 %
Total	306	62	368	100 %
<i>No Identified Risk</i>	82	28	110	

Persons Newly Diagnosed with HIV/AIDS

Region 5: Lake Charles Region

HIV CASES DIAGNOSED January - December 2008

- 60 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	44	73 %	Black, Non-Hispanic	32	53 %
Women	16	27 %	White, Non-Hispanic	23	38 %
Total	60	100 %	Hispanic	4	7 %
			American Indian	1	2 %
			Total	60	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	14	23 %	Men who have sex with men	16	73 %
25 - 34	14	23 %	Injection drug use	2	9 %
35 - 44	18	30 %	Men who have sex with men and inject drugs	1	5 %
45+	14	23 %	Heterosexual contact	3	14 %
Total	60	100 %	Total	22	100 %
			<i>No Identified Risk</i>	38	

AIDS CASES DIAGNOSED January - December 2008

- 37 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	24	65 %	Black, Non-Hispanic	23	62 %
Women	13	35 %	White, Non-Hispanic	12	32 %
Total	37	100 %	Hispanic	2	5 %
			Total	37	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	4	11 %	Men who have sex with men	10	50 %
25 - 34	13	35 %	Injection drug use	3	15 %
35 - 44	10	27 %	Men who have sex with men and inject drugs	1	5 %
45+	10	27 %	Heterosexual contact	5	25 %
Total	37	100 %	Perinatal	1	5 %
			Total	20	100 %
			<i>No Identified Risk</i>	17	

Persons Living with HIV/AIDS

Region 6: Alexandria Region

- 1175 cumulative cases have been detected in Region 6, including 13 pediatric cases.
- 425 cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including 4 pediatric deaths.
- 791 persons are currently living with HIV/AIDS in Region 6.
 Persons living with HIV: 384
 Persons living with AIDS: 407

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	5	1 %
20 - 24	21	3 %
25 - 29	73	9 %
30 - 34	101	13 %
35 - 39	112	14 %
40 - 44	132	17 %
45 - 49	135	17 %
50 - 54	115	15 %
55 - 59	54	7 %
60+	41	5 %
Total	791	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	369	179	548	69 %
White, Non-Hispanic	149	50	199	25 %
Hispanic	33	3	36	5 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	0	1	1	<1 %
Multi-race	5	0	5	1 %
Total	558	233	791	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	193	0	193	37 %
Injection drug use	70	33	103	20 %
Men who have sex with men and inject drugs	55	0	55	10 %
Heterosexual contact	62	99	161	31 %
Transfusion/Hemophilia	8	1	9	2 %
Perinatal	4	2	6	1 %
Total	392	135	527	100 %
<i>No Identified Risk</i>	<i>166</i>	<i>98</i>	<i>264</i>	

**Persons Living with AIDS
Region 6: Alexandria Region**

- 733 cumulative AIDS cases have been diagnosed in Region 6, including 4 pediatric cases.
- 407 persons are currently living with AIDS in Region 6.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	1	<1 %	Black, Non-Hispanic	188	76	264	65 %
20 - 24	3	1 %	White, Non-Hispanic	97	30	127	31 %
25 - 29	22	5 %	Hispanic	12	0	12	3 %
30 - 34	41	10 %	Asian/Pacific Islander	1	0	1	<1 %
35 - 39	54	13 %	Multi-race	3	0	3	1 %
40 - 44	81	20 %	Total	301	106	407	100 %
45 - 49	77	19 %					
50 - 54	66	16 %					
55 - 59	36	9 %					
60+	26	6 %					
Total	407	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	100	0	100	35 %
Injection drug use	35	21	56	20 %
Men who have sex with men and inject drugs	41	0	41	14 %
Heterosexual contact	31	48	79	28 %
Transfusion/Hemophilia	6	0	6	2 %
Perinatal	1	1	2	1 %
Total	214	70	284	100 %
<i>No Identified Risk</i>	87	36	123	

**Persons Newly Diagnosed with HIV/AIDS
Region 6: Alexandria Region**

HIV CASES DIAGNOSED January - December 2008

- 46 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	33	72 %	Black, Non-Hispanic	26	57 %
Women	13	28 %	White, Non-Hispanic	11	24 %
Total	46	100 %	Hispanic	9	20 %
			Total	46	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	9	20 %	Men who have sex with men	13	65 %
25 - 34	17	37 %	Injection drug use	1	5 %
35 - 44	9	20 %	Men who have sex with men and inject drugs	1	5 %
45+	11	24 %	Heterosexual contact	5	25 %
Total	46	100 %	Total	20	100 %
			<i>No Identified Risk</i>	26	

AIDS CASES DIAGNOSED January - December 2008

- 36 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	26	72 %	Black, Non-Hispanic	25	69 %
Women	10	28 %	White, Non-Hispanic	7	19 %
Total	36	100 %	Hispanic	3	8 %
			Multi-race	1	3 %
			Total	36	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
25 - 34	13	36 %	Men who have sex with men	6	30 %
35 - 44	11	31 %	Injection drug use	6	30 %
45+	12	33 %	Men who have sex with men and inject drugs	2	10 %
Total	36	100 %	Heterosexual contact	5	25 %
			Transfusion/Hemophilia	1	5 %
			Total	20	100 %
			<i>No Identified Risk</i>	16	

Persons Living with HIV/AIDS

Region 7: Shreveport Region

- 1869 cumulative cases have been detected in Region 7, including 27 pediatric cases.
- 815 cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including 10 pediatric deaths.
- 1356 persons are currently living with HIV/AIDS in Region 7.
 Persons living with HIV: 597
 Persons living with AIDS: 759

Age Category

Current Age	Cases	Percent
0 - 12	5	<1 %
13 - 19	17	1 %
20 - 24	68	5 %
25 - 29	120	9 %
30 - 34	160	12 %
35 - 39	186	14 %
40 - 44	225	17 %
45 - 49	239	18 %
50 - 54	167	12 %
55 - 59	90	7 %
60+	79	6 %
Total	1356	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	641	294	935	69 %
White, Non-Hispanic	319	73	392	29 %
Hispanic	15	5	20	1 %
Asian/Pacific Islander	1	0	1	<1 %
American Indian	5	0	5	<1 %
Unknown	1	0	1	<1 %
Multi-race	1	1	2	<1 %
Total	983	373	1356	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	482	0	482	50 %
Injection drug use	73	45	118	12 %
Men who have sex with men and inject drugs	107	0	107	11 %
Heterosexual contact	80	145	225	24 %
Transfusion/Hemophilia	5	4	9	1 %
Perinatal	9	7	16	2 %
Total	756	201	957	100 %
<i>No Identified Risk</i>	<i>227</i>	<i>172</i>	<i>399</i>	

**Persons Living with AIDS
Region 7: Shreveport Region**

- 1251 cumulative AIDS cases have been diagnosed in Region 7, including 18 pediatric cases.
- 759 persons are currently living with AIDS in Region 7.

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	5	1 %
20 - 24	17	2 %
25 - 29	36	5 %
30 - 34	70	9 %
35 - 39	106	14 %
40 - 44	139	18 %
45 - 49	155	20 %
50 - 54	117	15 %
55 - 59	65	9 %
60+	47	6 %
Total	759	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	390	141	531	70 %
White, Non-Hispanic	181	31	212	28 %
Hispanic	11	2	13	2 %
American Indian	2	0	2	<1 %
Multi-race	0	1	1	<1 %
Total	584	175	759	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	279	0	279	49 %
Injection drug use	51	24	75	13 %
Men who have sex with men and inject drugs	66	0	66	12 %
Heterosexual contact	58	78	136	24 %
Transfusion/Hemophilia	3	4	7	1 %
Perinatal	3	5	8	1 %
Total	460	111	571	100 %
<i>No Identified Risk</i>	<i>124</i>	<i>64</i>	<i>188</i>	

**Persons Newly Diagnosed with HIV/AIDS
Region 7: Shreveport Region**

HIV CASES DIAGNOSED January - December 2008

• 120 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	82	68 %	Black, Non-Hispanic	97	81 %
Women	38	32 %	White, Non-Hispanic	20	17 %
Total	120	100 %	Hispanic	3	2 %
			Total	120	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	29	24 %	Men who have sex with men	33	61 %
25 - 34	33	28 %	Injection drug use	3	6 %
35 - 44	24	20 %	Men who have sex with men and inject drugs	1	2 %
45+	34	28 %	Heterosexual contact	17	31 %
Total	120	100 %	Total	54	100 %
			<i>No Identified Risk</i>	<i>66</i>	

AIDS CASES DIAGNOSED January - December 2008

• 81 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	59	73 %	Black, Non-Hispanic	59	73 %
Women	22	27 %	White, Non-Hispanic	19	23 %
Total	81	100 %	Hispanic	2	2 %
			Multi-race	1	1 %
			Total	81	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	2	2 %	Men who have sex with men	28	58 %
25 - 34	24	30 %	Injection drug use	7	15 %
35 - 44	23	28 %	Men who have sex with men and inject drugs	1	2 %
45+	32	40 %	Heterosexual contact	11	23 %
Total	81	100 %	Perinatal	1	2 %
			Total	48	100 %
			<i>No Identified Risk</i>	<i>33</i>	

Persons Living with HIV/AIDS

Region 8: Monroe Region

- 1397 cumulative cases have been detected in Region 8, including 16 pediatric cases.
- 569 cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including 4 pediatric deaths.
- 891 persons are currently living with HIV/AIDS in Region 8.
 Persons living with HIV: 432
 Persons living with AIDS: 459

Age Category

Current Age	Cases	Percent
0 - 12	7	1 %
13 - 19	8	1 %
20 - 24	36	4 %
25 - 29	92	10 %
30 - 34	117	13 %
35 - 39	119	13 %
40 - 44	129	14 %
45 - 49	140	16 %
50 - 54	121	14 %
55 - 59	65	7 %
60+	57	6 %
Total	891	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	409	280	689	77 %
White, Non-Hispanic	140	44	184	21 %
Hispanic	7	3	10	1 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	1	0	1	<1 %
Unknown	1	1	2	<1 %
Multi-race	0	3	3	<1 %
Total	560	331	891	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	252	0	252	43 %
Injection drug use	42	32	74	13 %
Men who have sex with men and inject drugs	36	0	36	6 %
Heterosexual contact	59	142	201	34 %
Transfusion/Hemophilia	3	4	7	1 %
Perinatal	5	8	13	2 %
Total	397	186	583	100 %
<i>No Identified Risk</i>	<i>163</i>	<i>145</i>	<i>308</i>	

**Persons Living with AIDS
Region 8: Monroe Region**

- 894 cumulative AIDS cases have been diagnosed in Region 8, including 7 pediatric cases.
- 459 persons are currently living with AIDS in Region 8.

Age Category

Current Age	Cases	Percent
0 - 12	1	<1 %
13 - 19	1	<1 %
20 - 24	8	2 %
25 - 29	24	5 %
30 - 34	58	13 %
35 - 39	65	14 %
40 - 44	72	16 %
45 - 49	74	16 %
50 - 54	76	17 %
55 - 59	41	9 %
60+	39	8 %
Total	459	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	225	118	343	75 %
White, Non-Hispanic	84	22	106	23 %
Hispanic	5	2	7	2 %
Asian/Pacific Islander	2	0	2	<1 %
Multi-race	0	1	1	<1 %
Total	316	143	459	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	138	0	138	43 %
Injection drug use	26	19	45	14 %
Men who have sex with men and inject drugs	24	0	24	8 %
Heterosexual contact	37	68	105	33 %
Transfusion/Hemophilia	2	2	4	1 %
Perinatal	2	0	2	1 %
Total	229	89	318	100 %
<i>No Identified Risk</i>	<i>87</i>	<i>54</i>	<i>141</i>	

Persons Newly Diagnosed with HIV/AIDS

Region 8: Monroe Region

HIV CASES DIAGNOSED January - December 2008

• 58 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	40	69 %	Black, Non-Hispanic	46	79 %
Women	18	31 %	White, Non-Hispanic	6	10 %
Total	58	100 %	Hispanic	3	5 %
			Asian/Pacific Islander	1	2 %
			Unknown	1	2 %
			Multi-race	1	2 %
			Total	58	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	10	17 %	Men who have sex with men	24	71 %
25 - 34	21	36 %	Men who have sex with men and inject drugs	1	3 %
35 - 44	12	21 %	Heterosexual contact	9	26 %
45+	15	26 %	Total	34	100 %
Total	58	100 %	<i>No Identified Risk</i>	<i>24</i>	

AIDS CASES DIAGNOSED January - December 2008

• 43 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	27	63 %	Black, Non-Hispanic	31	72 %
Women	16	37 %	White, Non-Hispanic	9	21 %
Total	43	100 %	Hispanic	2	5 %
			Asian/Pacific Islander	1	2 %
			Total	43	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	2	5 %	Men who have sex with men	13	57 %
25 - 34	12	28 %	Injection drug use	3	13 %
35 - 44	16	37 %	Men who have sex with men and inject drugs	1	4 %
45+	13	30 %	Heterosexual contact	6	26 %
Total	43	100 %	Total	23	100 %
			<i>No Identified Risk</i>	<i>20</i>	

**Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region**

- 1205 cumulative cases have been detected in Region 9, including 14 pediatric cases.
- 503 cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including 4 pediatric deaths.
- 873 persons are currently living with HIV/AIDS in Region 9.
 Persons living with HIV: 381
 Persons living with AIDS: 492

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	6	1 %	Black, Non-Hispanic	279	142	421	48 %
13 - 19	4	<1 %	White, Non-Hispanic	338	85	423	48 %
20 - 24	29	3 %	Hispanic	18	2	20	2 %
25 - 29	51	6 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	78	9 %	American Indian	1	0	1	<1 %
35 - 39	127	15 %	Unknown	1	0	1	<1 %
40 - 44	154	18 %	Multi-race	6	0	6	1 %
45 - 49	171	20 %	Total	644	229	873	100 %
50 - 54	127	15 %					
55 - 59	66	8 %					
60+	60	7 %					
Total	873	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	318	0	318	52 %
Injection drug use	65	44	109	18 %
Men who have sex with men and inject drugs	48	0	48	8 %
Heterosexual contact	42	78	120	19 %
Transfusion/Hemophilia	7	0	7	1 %
Perinatal	10	5	15	2 %
Total	490	127	617	100 %
<i>No Identified Risk</i>	<i>154</i>	<i>102</i>	<i>256</i>	

**Persons Living with AIDS
Region 9: Hammond/Slidell Region**

- 833 cumulative AIDS cases have been diagnosed in Region 9, including 6 pediatric cases.
- 492 persons are currently living with AIDS in Region 9.

Age Category

Current Age	Cases	Percent
13 - 19	1	<1 %
20 - 24	7	1 %
25 - 29	17	3 %
30 - 34	33	7 %
35 - 39	64	13 %
40 - 44	99	20 %
45 - 49	109	22 %
50 - 54	76	15 %
55 - 59	43	9 %
60+	43	9 %
Total	492	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	161	67	228	46 %
White, Non-Hispanic	210	40	250	51 %
Hispanic	8	1	9	2 %
American Indian	1	0	1	<1 %
Multi-race	4	0	4	1 %
Total	384	108	492	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	182	0	182	50 %
Injection drug use	46	25	71	20 %
Men who have sex with men and inject drugs	36	0	36	10 %
Heterosexual contact	22	40	62	17 %
Transfusion/Hemophilia	7	0	7	2 %
Perinatal	3	1	4	1 %
Total	296	66	362	100 %
<i>No Identified Risk</i>	88	42	130	

Persons Newly Diagnosed with HIV/AIDS

Region 9: Hammond/Slidell Region

HIV CASES DIAGNOSED January - December 2008

- 65 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	43	66 %	Black, Non-Hispanic	40	62 %
Women	22	34 %	White, Non-Hispanic	24	37 %
Total	65	100 %	Unknown	1	2 %
			Total	65	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	19	59 %
13 - 24	6	9 %	Injection drug use	2	6 %
25 - 34	20	31 %	Men who have sex with men and inject drugs	1	3 %
35 - 44	19	29 %	Heterosexual contact	9	28 %
45+	19	29 %	Perinatal	1	3 %
Total	65	100 %	Total	32	100 %
			<i>No Identified Risk</i>	<i>33</i>	

AIDS CASES DIAGNOSED January - December 2008

- 44 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	32	73 %	Black, Non-Hispanic	26	59 %
Women	12	27 %	White, Non-Hispanic	18	41 %
Total	44	100 %	Total	44	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	1	2 %	Men who have sex with men	13	57 %
25 - 34	12	27 %	Injection drug use	2	9 %
35 - 44	17	39 %	Men who have sex with men and inject drugs	2	9 %
45+	14	32 %	Heterosexual contact	5	22 %
Total	44	100 %	Transfusion/Hemophilia	1	4 %
			Total	23	100 %
			<i>No Identified Risk</i>	<i>21</i>	