


First Quarter 2010

Vol. 8, No. 1



HIV/AIDS Surveillance Program

DeAnn Gruber, PhD, LCSW

Interim Administrative Director

Amy Zapata, MPH

HIV/AIDS Surveillance Program Manager

Editor/Production:

Jessica Fridge

William T. Robinson

Data Management and Analysis:

Debbie Wendell, MPH, Ph.D., *Coordinator*

Jessica Fridge, MSPH, *Surveillance Data Supervisor*

Tania Bechtel, *Data Manager*

Joseph Foxhood, *Information Systems Developer*

George Stephens, *Computer Technician*

Josette Russell, *Data Manager*

Special Projects:

William T. Robinson, Ph.D., *Biostatistician*

Jessica Cole, MPH, *Perinatal Surveillance Coordinator*

Field Epidemiologists:

Betsy Shepard, PAC, MPH, *Epidemiologist Supervisor*

James Hubbard

Region 1

Cheryl Edney, BS MT(ASCP)

Regions 4, 5, 6

Connie Gordon

Regions 1, 3

Gayle Norris, MA

Regions 7, 8

Gale Terry, LPN

Regions 2, 9

TABLE OF CONTENTS

Contents	Page
2B10B7B6B9B5B8B4B3B1B0B2B10B7B6B9B5B8B4B3B1B0BSurveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of March 31, 2010¹.

- As of March 31, 2010, a cumulative total of **30,067** HIV/AIDS cases have been reported in Louisiana, including **312** pediatric cases.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through March 31, 2010, is **12,608** including **101** deaths among pediatric cases.
- A total of **17,537** persons are living with HIV/AIDS in Louisiana; of these individuals, **9,473** persons (54%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana, is men who have sex with men (MSM). In 2009, of the persons who reported a risk factor, 55% reported being MSM, and an additional 3% reported being MSM and an injection drug user (IDU). As of March 31, 2010, 48% of all people living with HIV infection in Louisiana were MSM.
- Nationally, Louisiana ranked **5th** highest in AIDS case rates and **11th** in the number of AIDS cases diagnosed in 2007, according to the CDC 2007 HIV/AIDS Surveillance Report (Vol. 19).
- New Orleans ranked **2nd** for AIDS case rates among the largest metropolitan areas in the U.S. in 2007; Baton Rouge ranked **3rd**.
- In 2009, **1,262** new HIV cases were diagnosed in Louisiana. Of these cases, **31%** (n=396) occurred in Region 1 (New Orleans) and **24%** (n=309) occurred in Region 2 (Baton Rouge).
- In 2009, **801** new AIDS cases were diagnosed in Louisiana. Of these cases, **30%** (n=240) occurred in Region 1 (New Orleans) and **25%** (n=201) occurred in Region 2 (Baton Rouge).
- In Louisiana, **32%** of new HIV cases and **31%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2009, **75%** of newly diagnosed HIV cases and **76%** of newly diagnosed AIDS cases were among African Americans.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Updated estimates were provided in the 2006 Third Quarter Report at: <http://www.dhh.louisiana.gov/offices/publications/pubs-264/Third%20Quarter%202006.pdf>. Additional updated population estimates were presented at the February 2007 Statewide HIV/AIDS Meeting. This presentation can be found at: <http://www.dhh.louisiana.gov/offices/page.asp?ID=264&Detail=7584>. Updated estimates were also presented in the 2005-2006 Annual Report located at <http://www.dhh.louisiana.gov/offices/reports.asp?ID=264&Detail=261>.

More recent estimates indicate that as much as 84% of the pre-Katrina PLWH/A may now be living within the metropolitan area.

Persons Living with HIV/AIDS
Louisiana
as of March 31, 2010

- **30,067** cumulative cases have been detected in Louisiana, including **312** pediatric cases.
- **12,608** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **101** pediatric deaths.
- **17,537** persons are currently living with HIV/AIDS in Louisiana.
Persons living with HIV: **8,064**
Persons living with AIDS: **9,473**

Age Category

Current Age	Cases	Percent
0 - 12	75	<1 %
13 - 19	130	1 %
20 - 24	680	4 %
25 - 29	1,362	8 %
30 - 34	1,926	11 %
35 - 39	2,104	12 %
40 - 44	2,614	15 %
45 - 49	3,202	18 %
50 - 54	2,518	14 %
55 - 59	1,569	9 %
60+	1,357	8 %
Total	17,537	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	7,396	4,301	11,697	67 %
White, Non-Hispanic	4,258	765	5,023	29 %
Hispanic	518	116	634	4 %
Asian/Pacific Islander	46	11	57	<1 %
American Indian	21	6	27	<1 %
Unknown	20	4	24	<1 %
Multi-race	53	22	75	<1 %
Total	12,312	5,225	17,537	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	5,452	0	5,452	48 %
Injection drug use	1,188	692	1,880	17 %
Men who have sex with men and inject drugs	875	0	875	8 %
Heterosexual contact	930	1,920	2,850	25 %
Transfusion/Hemophilia	64	38	102	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	96	92	188	2 %
Total	8,605	2,743	11,348	100 %
<i>No Identified Risk</i>	<i>3,707</i>	<i>2,482</i>	<i>6,189</i>	

**Persons Living with AIDS
Louisiana
as of March 31, 2010**

- **20,289** cumulative AIDS cases have been diagnosed in Louisiana, including **144** pediatric cases.
- **9,473** persons are currently living with AIDS in Louisiana.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	9	<1 %	Black, Non-Hispanic	4,098	2,104	6,202	65 %
13 - 19	38	<1 %	White, Non-	2,491	347	2,838	30 %
20 - 24	157	2 %	Hispanic	278	68	346	4 %
25 - 29	455	5 %	Asian/Pacific	18	5	23	<1 %
30 - 34	798	8 %	American Indian	11	3	14	<1 %
35 - 39	1,080	11 %	Unknown	3	0	3	<1 %
40 - 44	1,511	16 %	Multi-race	36	11	47	<1 %
45 - 49	1,969	21 %	Total	6,935	2,538	9,473	100 %
50 - 54	1,575	17 %					
55 - 59	1,017	11 %					
60+	864	9 %					
Total	9,473	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,132	0	3,132	47 %
Injection drug use	788	400	1,188	18 %
Men who have sex with men and inject drugs	597	0	597	9 %
Heterosexual contact	547	1,022	1,569	24 %
Transfusion/Hemophilia	45	24	69	1 %
Perinatal	25	30	55	1 %
Total	5,134	1,476	6,610	100 %
<i>No Identified Risk</i>	<i>1,801</i>	<i>1,062</i>	<i>2,863</i>	

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2009

• **1,262** persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	854	68 %	Black, Non-Hispanic	943	75 %
Women	408	32 %	White, Non-Hispanic	232	18 %
Total	1262	100 %	Hispanic	65	5 %
			Asian/Pacific Islander	8	1 %
			American Indian	5	<1 %
			Unknown	5	<1 %
			Multi-race	4	<1 %
			Total	1262	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	5	<1 %	Men who have sex with men	344	55 %
13 - 24	284	23 %	Injection drug use	71	11 %
25 - 34	380	30 %	Men who have sex with men and inject drugs	18	3 %
35 - 44	266	21 %	Heterosexual contact	182	29 %
45+	327	26 %	Perinatal	5	1 %
Total	1262	100 %	Total	620	100 %
			<i>No Identified Risk</i>	<i>642</i>	

AIDS CASES DIAGNOSED January - December 2009

• **801** persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	555	69 %	Black, Non-Hispanic	605	76 %
Women	246	31 %	White, Non-Hispanic	141	18 %
Total	801	100 %	Hispanic	38	5 %
			Asian/Pacific Islander	1	<1 %
			American Indian	4	<1 %
			Unknown	2	<1 %
			Multi-race	10	1 %
			Total	801	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	73	9 %	Men who have sex with men	219	49 %
25 - 34	226	28 %	Injection drug use	78	17 %
35 - 44	208	26 %	Men who have sex with men and inject drugs	23	5 %
45+	294	37 %	Heterosexual contact	128	28 %
Total	801	100 %	Transfusion/Hemophilia	2	<1 %
			Total	450	100 %
			<i>No Identified Risk</i>	<i>351</i>	

**Persons Living with HIV/AIDS
as of March 31, 2010**

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	91	Sabine	22
Allen	236	St. Bernard	111
Ascension	174	St. Charles	86
Assumption	22	St. Helena	17
Avoyelles	165	St. James	62
Beauregard	39	St. John the Baptist	106
Bienville	30	St. Landry	244
Bossier	159	St. Martin	98
Caddo	930	St. Mary	80
Calcasieu	602	St. Tammany	334
Caldwell	17	Tangipahoa	295
Cameron	5	Tensas	36
Catahoula	23	Terrebonne	186
Claiborne	81	Union	40
Concordia	42	Vermilion	80
De Soto	55	Vernon	46
East Baton Rouge	3,296	Washington	182
East Carroll	40	Webster	49
East Feliciana	150	West Baton Rouge	108
Evangeline	54	West Carroll	11
Franklin	26	West Feliciana	146
Grant	27	Winn	96
Iberia	107		
Iberville	312		
Jackson	37		
Jefferson	1,616		
Jefferson Davis	52		
La Salle	20		
Lafayette	610		
Lafourche	102		
Lincoln	62		
Livingston	143		
Madison	59		
Morehouse	59		
Natchitoches	96		
Orleans	4,488		
Ouachita	535		
Plaquemines	31		
Pointe Coupee	46		
Rapides	410		
Red River	8		
Richland	41		
		Total	17,537

Persons Living with AIDS
as of March 31, 2010

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	49	Sabine	16
Allen	114	St. Bernard	64
Ascension	88	St. Charles	46
Assumption	15	St. Helena	10
Avoyelles	91	St. James	32
Beauregard	25	St. John the Baptist	62
Bienville	14	St. Landry	143
Bossier	89	St. Martin	56
Caddo	509	St. Mary	52
Calcasieu	348	St. Tammany	189
Caldwell	9	Tangipahoa	158
Cameron	3	Tensas	18
Catahoula	14	Terrebonne	108
Claiborne	45	Union	27
Concordia	23	Vermilion	47
De Soto	34	Vernon	22
East Baton Rouge	1,725	Washington	102
East Carroll	25	Webster	23
East Feliciana	84	West Baton Rouge	62
Evangeline	28	West Carroll	7
Franklin	12	West Feliciana	94
Grant	14	Winn	51
Iberia	56		
Iberville	172		
Jackson	21		
Jefferson	887		
Jefferson Davis	29		
La Salle	12		
Lafayette	313		
Lafourche	67		
Lincoln	29		
Livingston	80		
Madison	29		
Morehouse	29		
Natchitoches	52		
Orleans	2,384		
Ouachita	283		
Plaquemines	22		
Pointe Coupee	31		
Rapides	196		
Red River	7		
Richland	25		
		Total	9,473

**Persons Living with HIV/AIDS
Metro New Orleans
as of March 31, 2010**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **14,324** cumulative cases have been detected in the New Orleans MSA, including **151** pediatric cases.
- **6,064** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **51** pediatric deaths
- **6,834** persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: **3,148**
Persons living with AIDS: **3,686**

Age Category

Current Age	Cases	Percent
0 - 12	28	<1 %
13 - 19	41	1 %
20 - 24	238	3 %
25 - 29	437	6 %
30 - 34	665	10 %
35 - 39	779	11 %
40 - 44	1014	15 %
45 - 49	1,281	19 %
50 - 54	1,015	15 %
55 - 59	690	10 %
60+	646	9 %
Total	6,834	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,557	1,458	4,015	59 %
White, Non-Hispanic	2,143	242	2,385	35 %
Hispanic	264	83	347	5 %
Asian/Pacific Islander	30	7	37	1 %
American Indian	7	1	8	<1 %
Unknown	12	1	13	<1 %
Multi-race	22	7	29	<1 %
Total	5,035	1,799	6,834	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,535	0	2,535	57 %
Injection drug use	359	238	597	13 %
Men who have sex with men and inject drugs	335	0	335	7 %
Heterosexual contact	271	632	903	20 %
Transfusion/Hemophilia	27	18	45	1 %
Perinatal	30	38	68	2 %
Total	3,557	926	4,483	100 %
<i>No Identified Risk</i>	<i>1,478</i>	<i>873</i>	<i>2,351</i>	

**Persons Living with AIDS
Metro New Orleans
as of March 31, 2010**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **9,802** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **71** pediatric cases.
- **3,686** persons are currently living with AIDS in the New Orleans MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,370	728	2,098	57 %
13 - 19	13	<1 %	White, Non-Hispanic	1,238	97	1,335	36 %
20 - 24	49	1 %	Hispanic	159	53	212	6 %
25 - 29	137	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	259	7 %	American Indian	4	1	5	<1 %
35 - 39	389	11 %	Unknown	3	0	3	<1 %
40 - 44	567	15 %	Multi-race	15	4	19	1 %
45 - 49	787	21 %	Total	2,800	886	3,686	100 %
50 - 54	631	17 %					
55 - 59	437	12 %					
60+	413	11 %					
Total	3,686	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	514	0	514	34 %
Injection drug use	278	141	419	27 %
Men who have sex with men and inject drugs	128	0	128	8 %
Heterosexual contact	141	298	439	29 %
Transfusion/Hemophilia	4	8	12	1 %
Perinatal	7	5	12	1 %
Total	1,072	452	1,524	100 %
<i>No Identified Risk</i>	<i>690</i>	<i>379</i>	<i>1,069</i>	

**Persons Newly Diagnosed with HIV/AIDS
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

HIV CASES DIAGNOSED January - December 2009

- 442 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	323	73 %	Black, Non-Hispanic	305	69 %
Women	119	27 %	White, Non-Hispanic	90	20 %
Total	442	100 %	Hispanic	36	8 %
			Asian/Pacific Islander	5	1 %
			American Indian	2	<1 %
			Unknown	2	<1 %
			Multi-race	2	<1 %
			Total	442	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	3	1 %	Men who have sex with men	143	62 %
13 - 24	104	24 %	Injection drug use	21	9 %
25 - 34	136	31 %	Men who have sex with men and inject drugs	7	3 %
35 - 44	99	22 %	Heterosexual contact	55	24 %
45+	100	23 %	Perinatal	3	1 %
Total	442	100 %	Total	229	100 %
			<i>No Identified Risk</i>	<i>213</i>	

AIDS CASES DIAGNOSED January - December 2009

- 267 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	197	74 %	Black, Non-Hispanic	179	67 %
Women	70	26 %	White, Non-Hispanic	52	19 %
Total	267	100 %	Hispanic	25	9 %
			Asian/Pacific Islander	1	<1 %
			American Indian	3	1 %
			Unknown	1	<1 %
			Multi-race	6	2 %
			Total	267	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	23	9 %	Men who have sex with men	87	56 %
25 - 34	69	26 %	Injection drug use	26	17 %
35 - 44	80	30 %	Men who have sex with men and inject drugs	11	7 %
45+	95	36 %	Heterosexual contact	31	20 %
Total	267	100 %	Total	155	100 %
			<i>No Identified Risk</i>	<i>112</i>	

**Persons Living with HIV/AIDS
Metro Baton Rouge
as of March 31, 2010**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **6,780** cumulative cases have been detected in the Baton Rouge MSA, including **69** pediatric cases.
- **2,832** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including **16** pediatric deaths
- **4,392** persons are currently living with HIV/AIDS in the Baton Rouge MSA.
Persons living with HIV: **2,046**
Persons living with AIDS: **2,346**

Age Category

Current Age	Cases	Percent
0 - 12	25	1 %
13 - 19	34	1 %
20 - 24	201	5 %
25 - 29	410	9 %
30 - 34	526	12 %
35 - 39	566	13 %
40 - 44	613	14 %
45 - 49	744	17 %
50 - 54	592	13 %
55 - 59	368	8 %
60+	313	7 %
Total	4,392	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,083	1,486	3,569	81 %
White, Non-Hispanic	596	155	751	17 %
Hispanic	39	11	50	1 %
Asian/Pacific Islander	5	1	6	<1 %
American Indian	2	0	2	<1 %
Unknown	3	1	4	<1 %
Multi-race	8	2	10	<1 %
Total	2,736	1,656	4,392	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	927	0	927	35 %
Injection drug use	393	241	634	24 %
Men who have sex with men and inject drugs	179	0	179	7 %
Heterosexual contact	259	562	821	31 %
Transfusion/Hemophilia	8	11	19	1 %
Perinatal	31	23	54	2 %
Total	1,797	837	2,634	100 %
<i>No Identified Risk</i>	<i>939</i>	<i>819</i>	<i>1,758</i>	

**Persons Living with AIDS
Metro Baton Rouge
as of March 31, 2010**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **4,529** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **24** pediatric cases.
- **2,346** persons are currently living with AIDS in the Baton Rouge MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	10	<1 %	Black, Non-Hispanic	1,166	733	1,899	81 %
20 - 24	52	2 %	White, Non-Hispanic	339	68	407	17 %
25 - 29	149	6 %	Hispanic	22	6	28	1 %
30 - 34	217	9 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	290	12 %	American Indian	2	0	2	<1 %
40 - 44	358	15 %	Multi-race	7	1	8	<1 %
45 - 49	461	20 %	Total	1,538	808	2,346	100 %
50 - 54	368	16 %					
55 - 59	245	10 %					
60+	196	8 %					
Total	2,346	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	514	0	514	34 %
Injection drug use	278	141	419	27 %
Men who have sex with men and inject drugs	128	0	128	8 %
Heterosexual contact	141	298	439	29 %
Transfusion/Hemophilia	4	8	12	1 %
Perinatal	7	5	12	1 %
Total	1,072	452	1,524	100 %
<i>No Identified Risk</i>	<i>466</i>	<i>356</i>	<i>822</i>	

Persons Newly Diagnosed with HIV/AIDS**Metro Baton Rouge***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2009**

- 330 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	207	63 %	Black, Non-Hispanic	283	86 %
Women	123	37 %	White, Non-Hispanic	40	12 %
Total	330	100 %	Hispanic	4	1 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	<1 %
			Total	330	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	68	42 %
13 - 24	86	26 %	Injection drug use	26	16 %
25 - 34	96	29 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	61	18 %	Heterosexual contact	64	40 %
45+	86	26 %	Perinatal	1	1 %
Total	330	100 %	Total	162	100 %
			<i>No Identified Risk</i>	<i>168</i>	

AIDS CASES DIAGNOSED January - December 2009

- 214 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	132	62 %	Black, Non-Hispanic	183	86 %
Women	82	38 %	White, Non-Hispanic	29	14 %
Total	214	100 %	Hispanic	2	1 %
			Total	214	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	23	11 %	Men who have sex with men	39	35 %
25 - 34	66	31 %	Injection drug use	28	25 %
35 - 44	47	22 %	Men who have sex with men and inject drugs	6	5 %
45+	78	36 %	Heterosexual contact	38	34 %
Total	214	100%	Total	111	100 %
			<i>No Identified Risk</i>	<i>103</i>	

Persons Living with HIV/AIDS**Region 1: New Orleans Region****as of March 31, 2010***Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

- **13,491** cumulative cases have been detected in Region 1, including **136** pediatric cases.
- **5,711** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **46** pediatric deaths.
- **6,246** persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: **2,889**
Persons living with AIDS: **3,357**

Age Category

Current Age	Cases	Percent
0 - 12	20	<1 %
13 - 19	36	1 %
20 - 24	216	3 %
25 - 29	397	6 %
30 - 34	612	10 %
35 - 39	708	11 %
40 - 44	918	15 %
45 - 49	1,163	19 %
50 - 54	934	15 %
55 - 59	647	10 %
60+	595	10 %
Total	6,246	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,386	1,352	3,738	60 %
White, Non-Hispanic	1,902	191	2,093	34 %
Hispanic	252	80	332	5 %
Asian/Pacific Islander	29	7	36	1 %
American Indian	7	1	8	<1 %
Unknown	12	1	13	<1 %
Multi-race	19	7	26	<1 %
Total	4,607	1,639	6,246	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,309	0	2,309	56 %
Injection drug use	329	217	546	13 %
Men who have sex with men and inject drugs	319	0	319	8 %
Heterosexual contact	243	576	819	20 %
Transfusion/Hemophilia	24	17	41	1 %
Perinatal	24	30	54	1 %
Total	3,248	840	4,088	100 %
<i>No Identified Risk</i>	<i>1,359</i>	<i>799</i>	<i>2,158</i>	

**Persons Living with AIDS
Region 1: New Orleans Region
as of March 31, 2010**

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **9,205** cumulative AIDS cases have been diagnosed in Region 1, including **63** pediatric cases.
- **3,357** persons are currently living with AIDS in Region 1.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,266	676	1,942	58 %
13 - 19	10	<1 %	White, Non-Hispanic	1,097	75	1,172	35 %
20 - 24	46	1 %	Hispanic	152	52	204	6 %
25 - 29	127	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	235	7 %	American Indian	4	1	5	<1 %
35 - 39	351	10 %	Unknown	3	0	3	<1 %
40 - 44	510	15 %	Multi-race	13	4	17	1 %
45 - 49	708	21 %	Total	2,546	811	3,357	100 %
50 - 54	579	17 %					
55 - 59	410	12 %					
60+	377	11 %					
Total	3,357	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,330	0	1,330	56 %
Injection drug use	209	122	331	14 %
Men who have sex with men and inject drugs	213	0	213	9 %
Heterosexual contact	151	320	471	20 %
Transfusion/Hemophilia	16	9	25	1 %
Perinatal	6	11	17	1 %
Total	1,925	462	2,387	100 %
<i>No Identified Risk</i>	621	349	970	

Persons Newly Diagnosed with HIV/AIDS

Region 1: New Orleans Region

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

HIV CASES DIAGNOSED January - December 2009

- 396 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	290	73 %	Black, Non-Hispanic	273	69 %
Women	106	27 %	White, Non-Hispanic	76	19 %
Total	396	100 %	Hispanic	36	9 %
			Asian/Pacific Islander	5	1 %
			American Indian	2	1 %
			Unknown	2	1 %
			Multi-race	2	1 %
			Total	396	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	126	61 %
13 - 24	91	23 %	Injection drug use	18	9 %
25 - 34	126	32 %	Men who have sex with men and inject drugs	7	3 %
35 - 44	90	23 %	Heterosexual contact	53	26 %
45+	87	22 %	Perinatal	2	1 %
Total	396	100 %	Total	206	100 %

No Identified Risk

190

AIDS CASES DIAGNOSED January - December 2009

- 240 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	178	74 %	Black, Non-Hispanic	162	68 %
Women	62	26 %	White, Non-Hispanic	42	18 %
Total	240	100 %	Hispanic	25	10 %
			Asian/Pacific Islander	1	<1 %
			American Indian	3	1 %
			Unknown	1	<1 %
			Multi-race	6	2 %
			Total	240	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	20	8 %	Men who have sex with men	76	55 %
25 - 34	66	28 %	Injection drug use	21	15 %
35 - 44	71	30 %	Men who have sex with men and inject drugs	11	8 %
45+	83	35 %	Heterosexual contact	30	22 %
Total	240	100 %	Total	138	100 %

No Identified Risk

102

Persons Living with HIV/AIDS**Region 2: Baton Rouge Region****as of March 31, 2010***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **6,561** cumulative cases have been detected in Region 2, including **65** pediatric cases.
- **2,739** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **15** pediatric deaths.
- **4,232** persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: **1,976**
Persons living with AIDS: **2,256**

Age Category

Current Age	Cases	Percent
0 - 12	24	1 %
13 - 19	34	1 %
20 - 24	197	5 %
25 - 29	401	9 %
30 - 34	512	12 %
35 - 39	543	13 %
40 - 44	589	14 %
45 - 49	712	17 %
50 - 54	566	13 %
55 - 59	355	8 %
60+	299	7 %
Total	4,232	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,055	1,464	3,519	83 %
White, Non-Hispanic	521	122	643	15 %
Hispanic	37	11	48	1 %
Asian/Pacific Islander	5	1	6	<1 %
American Indian	2	0	2	<1 %
Unknown	3	1	4	<1 %
Multi-race	8	2	10	<1 %
Total	2,631	1,601	4,232	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	881	0	881	35 %
Injection drug use	381	229	610	24 %
Men who have sex with men and inject drugs	170	0	170	7 %
Heterosexual contact	251	542	793	31 %
Transfusion/Hemophilia	7	11	18	1 %
Perinatal	29	22	51	2 %
Total	1,719	804	2,523	100 %
<i>No Identified Risk</i>	<i>912</i>	<i>797</i>	<i>1,709</i>	

**Persons Living with AIDS
Region 2: Baton Rouge Region
as of March 31, 2010**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **4,383** cumulative AIDS cases have been diagnosed in Region 2, including **22** pediatric cases.
- **2,256** persons are currently living with AIDS in Region 2.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
13 - 19	10	<1 %	Black, Non-Hispanic	1,150	723	1,873	83 %
20 - 24	51	2 %	White, Non-Hispanic	292	52	344	15 %
25 - 29	145	6 %	Hispanic	21	6	27	1 %
30 - 34	210	9 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	279	12 %	American Indian	2	0	2	<1 %
40 - 44	344	15 %	Multi-race	7	1	8	<1 %
45 - 49	442	20 %	Total	1,474	782	2,256	100 %
50 - 54	350	16 %					
55 - 59	237	11 %					
60+	188	8 %					
Total	2,256	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	484	0	484	33 %
Injection drug use	267	136	403	28 %
Men who have sex with men and inject drugs	123	0	123	8 %
Heterosexual contact	138	288	426	29 %
Transfusion/Hemophilia	3	8	11	1 %
Perinatal	6	4	10	1 %
Total	1,021	436	1,457	100 %
<i>No Identified Risk</i>	<i>453</i>	<i>346</i>	<i>799</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2009**

- 309 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	195	63 %	Black, Non-Hispanic	274	89 %
Women	114	37 %	White, Non-Hispanic	28	9 %
Total	309	100 %	Hispanic	4	1 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	<1 %
			Total	309	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	64	43 %
13 - 24	84	27 %	Injection drug use	26	17 %
25 - 34	90	29 %	Men who have sex with men and inject drugs	2	1 %
35 - 44	55	18%	Heterosexual contact	56	38 %
45+	79	26%	Perinatal	1	1 %
Total	309	100 %	Total	149	100 %

No Identified Risk 160

AIDS CASES DIAGNOSED January - December 2009

- 201 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	124	62 %	Black, Non-Hispanic	178	89 %
Women	77	38 %	White, Non-Hispanic	21	10 %
Total	201	100 %	Hispanic	2	1 %
			Total	201	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	23	11 %	Men who have sex with men	36	35 %
25 - 34	63	31 %	Injection drug use	28	27 %
35 - 44	43	21 %	Men who have sex with men and inject drugs	5	5 %
45+	72	36 %	Heterosexual contact	34	33 %
Total	201	100 %	Total	103	100 %

No Identified Risk 98

Persons Living with HIV/AIDS
Region 3: Houma Region
as of March 31, 2010

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

- **952** cumulative cases have been detected in Region 3, including **16** pediatric cases.
- **442** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **644** persons are currently living with HIV/AIDS in Region 3.
Persons living with HIV: **262**
Persons living with AIDS: **382**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	1 %	Black, Non-Hispanic	221	146	367	57 %
13 - 19	7	1 %	White, Non-Hispanic	203	46	249	39 %
20 - 24	23	4 %	Hispanic	13	4	17	3 %
25 - 29	60	9 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	74	11 %	American Indian	2	2	4	1 %
35 - 39	74	11 %	Unknown	1	1	2	<1 %
40 - 44	103	16 %	Multi-race	2	1	3	<1 %
45 - 49	111	17 %	Total	443	201	644	100 %
50 - 54	84	13 %					
55 - 59	58	9 %					
60+	46	7 %					
Total	644	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	227	0	227	53 %
Injection drug use	41	23	64	15 %
Men who have sex with men and inject drugs	13	0	13	3 %
Heterosexual contact	31	82	113	26 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	6	6	12	3 %
Total	318	112	430	100 %
<i>No Identified Risk</i>	<i>125</i>	<i>89</i>	<i>214</i>	

Persons Living with AIDS
Region 3: Houma Region
as of March 31, 2010

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

- **706** cumulative AIDS cases have been diagnosed in Region 3, including **9** pediatric cases.
- **382** persons are currently living with AIDS in Region 3.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age	Cases	Percent					
13 - 19	4	1 %	Black, Non-Hispanic	145	80	225	59 %
20 - 24	7	2 %	White, Non-Hispanic	115	25	140	37 %
25 - 29	23	6 %	Hispanic	8	2	10	3 %
30 - 34	35	9 %	Asian/Pacific Islander	0	1	1	<1 %
35 - 39	36	9 %	American Indian	1	2	3	1 %
40 - 44	68	18 %	Multi-race	2	1	3	1 %
45 - 49	72	19 %	Total	271	111	382	100 %
50 - 54	62	16 %					
55 - 59	41	11 %					
60+	34	9 %					
Total	382	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	143	0	143	54 %
Injection drug use	26	17	43	16 %
Men who have sex with men and inject drugs	7	0	7	3 %
Heterosexual contact	21	45	66	25 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	2	3	5	2 %
Total	199	66	265	100 %
<i>No Identified Risk</i>	<i>72</i>	<i>45</i>	<i>117</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2009**

- 43 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	30	70 %	Black, Non-Hispanic	32	74 %
Women	13	30 %	White, Non-Hispanic	8	19 %
Total	43	100 %	Hispanic	1	2 %
			American Indian	1	2 %
			Unknown	1	2 %
			Total	43	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	10	23 %	Men who have sex with men	10	67 %
25 - 34	10	23 %	Injection drug use	2	13 %
35 - 44	12	28 %	Heterosexual contact	3	20 %
45+	11	26 %	Total	15	100 %
Total	43	100 %	<i>No Identified Risk</i>	28	

AIDS CASES DIAGNOSED January - December 2009

- 33 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	24	73 %	Black, Non-Hispanic	23	70 %
Women	9	27 %	White, Non-Hispanic	9	27 %
Total	33	100 %	Hispanic	1	3 %
			Total	33	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	6	18 %	Men who have sex with men	11	58 %
25 - 34	8	24 %	Injection drug use	4	21 %
35 - 44	10	30 %	Heterosexual contact	4	21 %
45+	9	27 %	Total	19	100 %
Total	33	100 %	<i>No Identified Risk</i>	14	

Persons Living with HIV/AIDS**Region 4: Lafayette Region****as of March 31, 2010***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **1,881** cumulative cases have been detected in Region 4, including **16** pediatric cases.
- **841** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **9** pediatric deaths.
- **1,284** persons are currently living with HIV/AIDS in Region 4.
Persons living with HIV: **592**
Persons living with AIDS: **692**

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	12	1 %
20 - 24	42	3 %
25 - 29	92	7 %
30 - 34	122	10 %
35 - 39	132	10 %
40 - 44	194	15 %
45 - 49	275	21 %
50 - 54	208	16 %
55 - 59	121	9 %
60+	83	6 %
Total	1,284	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	499	236	735	57 %
White, Non-Hispanic	395	84	479	37 %
Hispanic	48	2	50	4 %
Asian/Pacific Islander	0	2	2	<1 %
American Indian	2	1	3	<1 %
Unknown	2	0	2	<1 %
Multi-race	9	4	13	1 %
Total	955	329	1,284	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	408	0	408	53 %
Injection drug use	74	33	107	14 %
Men who have sex with men and inject drugs	47	0	47	6 %
Heterosexual contact	59	137	196	25 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	2 %
Total	599	178	777	100 %
<i>No Identified Risk</i>	<i>356</i>	<i>151</i>	<i>507</i>	

Persons Living with AIDS**Region 4: Lafayette Region****as of March 31, 2010***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **1,240** cumulative AIDS cases have been diagnosed in Region 4, including **9** pediatric cases.
- **692** persons are currently living with AIDS in Region 4.

Age Category

Current Age	Cases	Percent
0 - 12	1	<1 %
13 - 19	1	<1 %
20 - 24	6	1 %
25 - 29	32	5 %
30 - 34	57	8 %
35 - 39	69	10 %
40 - 44	109	16 %
45 - 49	167	24 %
50 - 54	124	18 %
55 - 59	77	11 %
60+	49	7 %
Total	692	100 %

Race/Ethnicity

Men	Women	Total	Percent
268	121	389	56 %
239	35	274	40 %
21	0	21	3 %
0	1	1	<1 %
5	2	7	1 %
Total	159	692	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	250	0	250	54 %
Injection drug use	52	16	68	15 %
Men who have sex with men and inject drugs	33	0	33	7 %
Heterosexual contact	30	74	104	23 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	0	3	3	1 %
Total	368	94	462	100 %
<i>No Identified Risk</i>	<i>165</i>	<i>65</i>	<i>230</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2009**

- 94 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	63	67 %	Black, Non-Hispanic	59	63 %
Women	31	33 %	White, Non-Hispanic	29	31 %
Total	94	100 %	Hispanic	6	6 %
			Total	94	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	22	23 %	Men who have sex with men	30	62 %
25 - 34	23	24 %	Injection drug use	3	6 %
35 - 44	22	23 %	Men who have sex with men and inject drugs	1	2 %
45+	27	29 %	Heterosexual contact	14	29 %
Total	94	100 %	Total	48	100 %
			<i>No Identified Risk</i>	46	

AIDS CASES DIAGNOSED January - December 2009

- 50 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	34	68 %	Black, Non-Hispanic	33	66 %
Women	16	32 %	White, Non-Hispanic	15	30 %
Total	50	100 %	Hispanic	1	2 %
			Multi-race	1	2 %
			Total	50	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	4	8 %	Men who have sex with men	15	54 %
25 - 34	16	32 %	Injection drug use	3	11 %
35 - 44	12	24 %	Men who have sex with men and inject drugs	2	7 %
45+	18	36 %	Heterosexual contact	8	29 %
Total	50	100 %	Total	28	100 %
			<i>No Identified Risk</i>	22	

Persons Living with HIV/AIDS**Region 5: Lake Charles Region****as of March 31, 2010***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **1,197** cumulative cases have been detected in Region 5, including **9** pediatric cases.
- **446** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **1** pediatric deaths.
- **934** persons are currently living with HIV/AIDS in Region 5.
Persons living with HIV: **415**
Persons living with AIDS: **519**

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	11	1 %
20 - 24	34	4 %
25 - 29	54	6 %
30 - 34	109	12 %
35 - 39	109	12 %
40 - 44	165	18 %
45 - 49	188	20 %
50 - 54	142	15 %
55 - 59	69	7 %
60+	50	5 %
Total	934	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	395	139	534	57 %
White, Non-Hispanic	242	58	300	32 %
Hispanic	81	4	85	9 %
Asian/Pacific Islander	4	0	4	<1 %
American Indian	2	1	3	<1 %
Unknown	1	0	1	<1 %
Multi-race	3	4	7	1 %
Total	728	206	934	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	277	0	277	42 %
Injection drug use	101	30	131	20 %
Men who have sex with men and inject drugs	77	0	77	12 %
Heterosexual contact	74	80	154	24 %
Transfusion/Hemophilia	6	1	7	1 %
Perinatal	4	5	9	1 %
Total	539	116	655	100 %
<i>No Identified Risk</i>	<i>189</i>	<i>90</i>	<i>279</i>	

**Persons Living with AIDS
Region 5: Lake Charles Region
as of March 31, 2010**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **824** cumulative AIDS cases have been diagnosed in Region 5, including **5** pediatric cases.
- **519** persons are currently living with AIDS in Region 5.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	226	64	290	56 %
13 - 19	4	1 %	White, Non-Hispanic	154	34	188	36 %
20 - 24	8	2 %	Hispanic	35	1	36	7 %
25 - 29	23	4 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	45	9 %	Multi-race	2	1	3	1 %
35 - 39	60	12 %	Total	419	100	519	100 %
40 - 44	102	20 %					
45 - 49	117	23 %					
50 - 54	86	17 %					
55 - 59	42	8 %					
60+	31	6 %					
Total	519	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	175	0	175	44 %
Injection drug use	67	21	88	22 %
Men who have sex with men and inject drugs	52	0	52	13 %
Heterosexual contact	34	41	75	19 %
Transfusion/Hemophilia	5	1	6	2 %
Perinatal	2	2	4	1 %
Total	335	65	400	100 %
<i>No Identified Risk</i>	84	35	119	

Persons Newly Diagnosed with HIV/AIDS**Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***HIV CASES DIAGNOSED January - December 2009**

- 54 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	41	76 %	Black, Non-Hispanic	32	59 %
Women	13	24 %	White, Non-Hispanic	17	31 %
Total	54	100 %	Hispanic	3	6 %
			Unknown	2	4 %
			Total	54	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	17	63 %
13 - 24	9	17 %	Injection drug use	5	19 %
25 - 34	17	31 %	Men who have sex with men and inject drugs	1	4 %
35 - 44	15	28 %	Heterosexual contact	3	11 %
45+	12	22 %	Perinatal	1	4 %
Total	54	100 %	Total	27	100 %
			<i>No Identified Risk</i>	27	

AIDS CASES DIAGNOSED January - December 2009

- 45 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	32	71 %	Black, Non-Hispanic	28	62 %
Women	13	29 %	White, Non-Hispanic	13	29 %
Total	45	100 %	Hispanic	1	2 %
			Unknown	1	2 %
			Multi-race	2	4 %
			Total	45	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	2	4 %	Men who have sex with men	13	46 %
25 - 34	12	27 %	Injection drug use	7	25 %
35 - 44	13	29 %	Men who have sex with men and inject drugs	2	7 %
45+	18	40 %	Heterosexual contact	5	18 %
Total	45	100 %	Transfusion/Hemophilia	1	4 %
			Total	28	100 %
			<i>No Identified Risk</i>	17	

Persons Living with HIV/AIDS**Region 6: Alexandria Region****as of March 31, 2010***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,246** cumulative cases have been detected in Region 6, including **13** pediatric cases.
- **446** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **829** persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: **406**
Persons living with AIDS: **423**

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	4	<1 %
20 - 24	27	3 %
25 - 29	54	7 %
30 - 34	114	14 %
35 - 39	105	13 %
40 - 44	134	16 %
45 - 49	156	19 %
50 - 54	118	14 %
55 - 59	66	8 %
60+	49	6 %
Total	829	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	393	191	584	70 %
White, Non-Hispanic	149	47	196	24 %
Hispanic	40	2	42	5 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	0	1	1	<1 %
Multi-race	4	0	4	<1 %
Total	588	241	829	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	204	0	204	37 %
Injection drug use	72	30	102	19 %
Men who have sex with men and inject drugs	53	0	53	10 %
Heterosexual contact	69	101	170	31 %
Transfusion/Hemophilia	9	1	10	2 %
Perinatal	4	2	6	1 %
Total	411	134	545	100 %
<i>No Identified Risk</i>	<i>177</i>	<i>107</i>	<i>284</i>	

Persons Living with AIDS

**Region 6: Alexandria Region
as of March 31, 2010**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **773** cumulative AIDS cases have been diagnosed in Region 6, including **4** pediatric cases.
- **423** persons are currently living with AIDS in Region 6.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
20 - 24	5	1 %	Black, Non-Hispanic	206	78	284	67 %
25 - 29	17	4 %	White, Non-Hispanic	95	27	122	29 %
30 - 34	44	10 %	Hispanic	14	0	14	3 %
35 - 39	51	12 %	Asian/Pacific Islander	1	0	1	<1 %
40 - 44	78	18 %	Multi-race	2	0	2	<1 %
45 - 49	90	21 %	Total	318	105	423	100 %
50 - 54	66	16 %					
55 - 59	42	10 %					
60+	30	7 %					
Total	423	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	105	0	105	36 %
Injection drug use	37	17	54	18 %
Men who have sex with men and inject drugs	41	0	41	14 %
Heterosexual contact	37	49	86	29 %
Transfusion/Hemophilia	7	0	7	2 %
Perinatal	1	1	2	1 %
Total	228	67	295	100 %
<i>No Identified Risk</i>	90	38	128	

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes***HIV CASES DIAGNOSED January - December 2009**

- 67 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	39	58 %	Black, Non-Hispanic	50	75 %
Women	28	42 %	White, Non-Hispanic	9	13 %
Total	67	100 %	Hispanic	8	12 %
			Total	67	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	5	7 %	Men who have sex with men	11	42 %
25 - 34	23	34 %	Injection drug use	5	19 %
35 - 44	15	22 %	Men who have sex with men and inject drugs	2	8 %
45+	24	36 %	Heterosexual contact	8	31 %
Total	67	100 %	Total	26	100 %
			<i>No Identified Risk</i>	41	

AIDS CASES DIAGNOSED January - December 2009

- 42 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	33	79 %	Black, Non-Hispanic	34	81 %
Women	9	21 %	White, Non-Hispanic	6	14 %
Total	42	100 %	Hispanic	2	5 %
			Total	42	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	1	2 %	Men who have sex with men	12	52 %
25 - 34	10	24 %	Injection drug use	3	13 %
35 - 44	12	29 %	Heterosexual contact	7	30 %
45+	19	45 %	Transfusion/Hemophilia	1	4 %
Total	42	100 %	Total	23	100 %
			<i>No Identified Risk</i>	19	

Persons Living with HIV/AIDS**Region 7: Shreveport Region**

as of March 31, 2010

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- **1,974** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **874** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,430** persons are currently living with HIV/AIDS in Region 7.
Persons living with HIV: **641**
Persons living with AIDS: **789**

Age Category

Current Age	Cases	Percent
0 - 12	5	<1 %
13 - 19	14	1 %
20 - 24	76	5 %
25 - 29	134	9 %
30 - 34	175	12 %
35 - 39	186	13 %
40 - 44	217	15 %
45 - 49	252	18 %
50 - 54	178	12 %
55 - 59	104	7 %
60+	89	6 %
Total	1,430	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	691	311	1,002	70 %
White, Non-Hispanic	318	77	395	28 %
Hispanic	18	6	24	2 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	4	0	4	<1 %
Multi-race	2	1	3	<1 %
Total	1,035	395	1,430	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	506	0	506	50 %
Injection drug use	72	45	117	12 %
Men who have sex with men and inject drugs	109	0	109	11 %
Heterosexual contact	87	160	247	25 %
Transfusion/Hemophilia	4	3	7	1 %
Perinatal	9	7	16	2 %
Total	787	215	1,002	100 %
<i>No Identified Risk</i>	<i>248</i>	<i>180</i>	<i>428</i>	

**Persons Living with AIDS
Region 7: Shreveport Region
as of March 31, 2010**

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- **1,325** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.
- **789** persons are currently living with AIDS in Region 7.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	2	<1 %	Black, Non-Hispanic	407	153	560	71 %
13 - 19	7	1 %	White, Non-Hispanic	176	32	208	26 %
20 - 24	22	3 %	Hispanic	13	3	16	2 %
25 - 29	42	5 %	American Indian	3	0	3	<1 %
30 - 34	74	9 %	Multi-race	1	1	2	<1 %
35 - 39	98	12 %	Total	600	189	789	100 %
40 - 44	127	16 %					
45 - 49	164	21 %					
50 - 54	123	16 %					
55 - 59	75	10 %					
60+	55	7 %					
Total	789	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	283	0	283	48 %
Injection drug use	49	23	72	12 %
Men who have sex with men and inject drugs	67	0	67	11 %
Heterosexual contact	65	85	150	26 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	4	5	9	2 %
Total	471	116	587	100 %
<i>No Identified Risk</i>	129	73	202	

Persons Newly Diagnosed with HIV/AIDS**Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2009**

- 124 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	86	69 %	Black, Non-Hispanic	105	85 %
Women	38	31 %	White, Non-Hispanic	12	10 %
Total	124	100 %	Hispanic	4	3 %
			Asian/Pacific Islander	1	1 %
			American Indian	1	1 %
			Multi-race	1	1 %
			Total	124	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	32	26 %	Men who have sex with men	38	70 %
25 - 34	40	32 %	Injection drug use	1	2 %
35 - 44	26	21 %	Men who have sex with men and inject drugs	1	2 %
45+	26	21 %	Heterosexual contact	14	26 %
Total	124	100 %	Total	54	100 %

			<i>No Identified Risk</i>	<i>70</i>
--	--	--	---------------------------	-----------

AIDS CASES DIAGNOSED January - December 2009

- 81 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	57	70 %	Black, Non-Hispanic	68	84 %
Women	24	30 %	White, Non-Hispanic	6	7 %
Total	81	100 %	Hispanic	5	6 %
			American Indian	1	1 %
			Multi-race	1	1 %
			Total	81	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	12	15 %	Men who have sex with men	22	52 %
25 - 34	22	27 %	Injection drug use	1	2 %
35 - 44	21	26 %	Men who have sex with men and inject drugs	1	2 %
45+	26	32 %	Heterosexual contact	18	43 %
Total	81	100 %	Total	42	100 %

			<i>No Identified Risk</i>	<i>39</i>
--	--	--	---------------------------	-----------

Persons Living with HIV/AIDS**Region 8: Monroe Region****as of March 31, 2010***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,461** cumulative cases have been detected in Region 8, including **16** pediatric cases.
- **587** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **963** persons are currently living with HIV/AIDS in Region 8.
Persons living with HIV: **449**
Persons living with AIDS: **514**

Age Category

Current Age	Cases	Percent
0 - 12	7	1 %
13 - 19	10	1 %
20 - 24	35	4 %
25 - 29	101	10 %
30 - 34	130	13 %
35 - 39	119	12 %
40 - 44	127	13 %
45 - 49	158	16 %
50 - 54	127	13 %
55 - 59	78	8 %
60+	71	7 %
Total	963	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	447	291	738	77 %
White, Non-Hispanic	154	49	203	21 %
Hispanic	10	4	14	1 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	1	0	1	<1 %
Unknown	0	1	1	<1 %
Multi-race	1	3	4	<1 %
Total	615	348	963	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	284	0	284	44 %
Injection drug use	49	33	82	13 %
Men who have sex with men and inject drugs	38	0	38	6 %
Heterosexual contact	64	152	216	34 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	5	8	13	2 %
Total	443	196	639	100 %
<i>No Identified Risk</i>	<i>172</i>	<i>152</i>	<i>324</i>	

Persons Living with AIDS**Region 8: Monroe Region****as of March 31, 2010***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **947** cumulative AIDS cases have been diagnosed in Region 8, including **7** pediatric cases.
- **514** persons are currently living with AIDS in Region 8.

Age Category

Current Age	Cases	Percent
0 - 12	1	<1 %
13 - 19	2	<1 %
20 - 24	8	2 %
25 - 29	26	5 %
30 - 34	62	12 %
35 - 39	69	13 %
40 - 44	76	15 %
45 - 49	88	17 %
50 - 54	83	16 %
55 - 59	48	9 %
60+	51	10 %
Total	514	100 %

Race/Ethnicity

Men	Women	Total	Percent
255	129	384	75 %
95	25	120	23 %
5	2	7	1 %
2	0	2	<1 %
0	1	1	<1 %
Total	157	514	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	156	0	156	43 %
Injection drug use	32	21	53	15 %
Men who have sex with men and inject drugs	28	0	28	8 %
Heterosexual contact	42	75	117	33 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	2	0	2	1 %
Total	262	97	359	100 %
<i>No Identified Risk</i>	<i>95</i>	<i>60</i>	<i>155</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2009**

- 79 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	52	66 %	Black, Non-Hispanic	59	75 %
Women	27	34 %	White, Non-Hispanic	17	22 %
Total	79	100 %	Hispanic	2	3 %
			American Indian	1	1 %
			Total	79	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	18	23 %	Men who have sex with men	21	51 %
25 - 34	24	30 %	Injection drug use	4	10 %
35 - 44	12	15 %	Men who have sex with men and inject drugs	2	5 %
45+	25	32 %	Heterosexual contact	14	34 %
Total	79	100 %	Total	41	100 %
			<i>No Identified Risk</i>	38	

AIDS CASES DIAGNOSED January - December 2009

- 56 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	39	70 %	Black, Non-Hispanic	47	84 %
Women	17	30 %	White, Non-Hispanic	8	14 %
Total	56	100 %	Hispanic	1	2 %
			Total	56	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	7 %	Men who have sex with men	16	47 %
25 - 34	18	32 %	Injection drug use	5	15 %
35 - 44	10	18 %	Men who have sex with men and inject drugs	1	3 %
45+	24	43 %	Heterosexual contact	12	35 %
Total	56	100 %	Total	34	100 %
			<i>No Identified Risk</i>	22	

**Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region
as of March 31, 2010**

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,297** cumulative cases have been detected in Region 9, including 14 pediatric cases.
- **522** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including 4 pediatric deaths.
- **971** persons are currently living with HIV/AIDS in Region 9.
Persons living with HIV: **432**
Persons living with AIDS: **539**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	7	1 %	Black, Non-Hispanic	307	170	477	49 %
13 - 19	2	<1 %	White, Non-Hispanic	374	91	465	48 %
20 - 24	30	3 %	Hispanic	18	3	21	2 %
25 - 29	68	7 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	78	8 %	American Indian	1	0	1	<1 %
35 - 39	128	13 %	Unknown	1	0	1	<1 %
40 - 44	167	17 %	Multi-race	5	0	5	1 %
45 - 49	185	19 %	Total	707	264	971	100 %
50 - 54	161	17 %					
55 - 59	70	7 %					
60+	75	8 %					
Total	971	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	355	0	355	52 %
Injection drug use	68	51	119	17 %
Men who have sex with men and inject drugs	49	0	49	7 %
Heterosexual contact	52	90	142	21 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	9	6	15	2 %
Total	539	147	686	100 %
<i>No Identified Risk</i>	<i>168</i>	<i>117</i>	<i>285</i>	

Persons Living with AIDS
Region 9: Hammond/Slidell Region
as of March 31, 2010

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **886** cumulative AIDS cases have been diagnosed in Region 9, including **6** pediatric cases.
- **539** persons are currently living with AIDS in Region 9.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
20 - 24	4	1 %	Black, Non-Hispanic	173	80	253	47 %
25 - 29	20	4 %	White, Non-Hispanic	228	42	270	50 %
30 - 34	36	7 %	Hispanic	9	2	11	2 %
35 - 39	67	12 %	American Indian	1	0	1	<1 %
40 - 44	97	18 %	Multi-race	4	0	4	1 %
45 - 49	120	22 %	Total	415	124	539	100 %
50 - 54	102	19 %					
55 - 59	44	8 %					
60+	49	9 %					
Total	539	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	206	0	206	52 %
Injection drug use	48	27	75	19 %
Men who have sex with men and inject drugs	33	0	33	8 %
Heterosexual contact	29	45	74	19 %
Transfusion/Hemophilia	6	0	6	2 %
Perinatal	2	1	3	1 %
Total	324	73	397	100 %
<i>No Identified Risk</i>	91	51	142	

Persons Newly Diagnosed with HIV/AIDS**Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2009**

- 95 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	57	60 %	Black, Non-Hispanic	59	62 %
Women	38	40 %	White, Non-Hispanic	36	38 %
Total	95	100 %	Total	95	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	1 %	Men who have sex with men	26	49 %
13 - 24	13	14 %	Injection drug use	7	13 %
25 - 34	26	27 %	Men who have sex with men and inject drugs	2	4 %
35 - 44	19	20 %	Heterosexual contact	17	32 %
45+	36	38 %	Perinatal	1	2 %
Total	95	100 %	Total	53	100 %
			<i>No Identified Risk</i>	42	

AIDS CASES DIAGNOSED January - December 2009

- 53 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	34	64 %	Black, Non-Hispanic	32	60 %
Women	19	36 %	White, Non-Hispanic	21	40 %
Total	53	100 %	Total	53	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	1	2 %	Men who have sex with men	18	51 %
25 - 34	11	21 %	Injection drug use	6	17 %
35 - 44	16	30 %	Men who have sex with men and inject drugs	1	3 %
45+	25	47 %	Heterosexual contact	10	29 %
Total	53	100 %	Total	35	100 %
			<i>No Identified Risk</i>	18	